INDEX*
RUBBER CHEMISTRY AND TECHNOLOGY
VOLUME 70, 1997
AUTHOR INDEX†

Adams, John E., see Clarson, Stephen T. (abs-F96#90) (1) 171

Ahnmiller, Jim, Polyurethane rubber outsoles for athletic footwear (abs- S97#46) (4) 692

Akutagawa, K., see Mouri, Hiroshi (abs-S97#14) (4) 685

Al-Ghamdi, Ali M. S., see Clarson, Stephen T. (abs-F96#90) (1) 171

Alleyne, B. A., Bowles, A. O., Jr., Collins, J. D., Kantz, J. F., Kay, T. W., Wang, D. F., and Paeglis, A. C., Making use of product form to reduce material handling costs for EPDM polymers (abs-F96#82) (1) 168

Ames, K., see Winston, Jeff (abs-S97#45) (4) 692

Amir-Hasham, M. Y., Morris, M. D., O'Brien, M. C., and Farid, A. S., Effect of aching and humidity on prevulcanized NR latex films (abs-F96#11) (1) 149

Amir-Hashim, M. Y., Morris, M. D., O'Brien, M. G., and Farid, A. S., Effect of leaching and humidity on prevulcanized NR latex films (4) 560

Anand, Joginder, see Morris, Michael D. (abs-F96#78) (1) 167

Antony, P., see De, S. K. (abs-S97#94) (4) 704

Arjunan, P., Kusznir, R. B., and Dekmezian, A. H., Compatibilization of neoprene and ethylene-*co*-propylene rubber blends for power transmission belt applications (abs-F96#81) (1) 168

Armistead, J. P., Book Review: "Thermal Characterization of Polymers," 2nd ed., Edith A. Turi (5) G87

Atkinson, James R., OSHA voluntary protection programs (abs-S97#19) (4) 686

Bandyopadhyay, G. G., Bhagawan, S. S., and Ninan, K. N., Viscoelastic behavior of NBR/EVA polymer blends: Application of models (4) 650

Banik, I., see Bhowmick, Anil K. (abs-S97#90) (4) 703

Banks, H. T., Lybeck, N. J., Gaitens, M. J., Muotnoz, B. C., and Yanyo, L. C., Modeling the dynamic mechanical behavior of elastomers (abs-F96#63) (1) 163

Baranwal, Krishna, see Coz, Dennis (abs-F96#68) (1) 164

Baranwal, Krishna, Characterization and specification development of recycled rubber (abs-S97#1) (4) 681

Battjes, K. P., see Saam, John C. (abs-S97#50) (4) 694

Battjes, Kevin, see Kuo, Chung-Mien (5) 769

Bauerle, John G., see Kotz, Denise A. (abs-F96#84) (1) 169

Bauman, Barnard D., Surface-modified rubber particles in footwear (abs- S97#41) (4) 691

Bauman, Judson T. and Goolsby, R. D., Effect of stress relaxation on tearing energy measurement (abs-S97#70) (4) 699

Beardsley, P., see Karples, Richard (abs-S97#80) (4) 701

Beaucage, G., Guo, L., and Hyeon-Lee, J., Kinetics of morphological development in elastomer modified silica xerogels (abs-S97#87) (4) 702

Beck, R., see Shields, Kathleen (abs-S97#91) (4) 703

Bender, David L., The development of a one-part heat curable urethane precure retread adhesive (abs-F96#19) (1) 151

Bhagawan, S. S., see Bandyopadhyay, G. G. (4) 650

Bhattacharjee, S., see Singha, N. K. (rev) (3) 309

Bhowmick, Anil K., Banik, I., Dutta, S., and Chaki, T. K., Electron beam induced structural modification of fluorocarbon elastomer in the presence of polyfunctional monomer (abs-S97#90) (4) 703

*The first issue of Volume 70 contains abstracts of Fall 1996 Meeting Papers. The papers are cited in the Index as (abs-F96#...) with the appropriate paper number inserted. The fourth issue of Volume 70 has abstracts from the Spring 1997 meeting. They are cited using a similar convention, *i.e.*, (abs-S97#...). (The Fall 97 meeting abstracts will appear in Issue 1, 1998.) Complete copies of meeting papers may be obtained from the Rubber Division Library, The University of Akron, Akron, OH 44325-3907.

† Prepared by Lois Brock.

Bhowmick, Anil K., see De Sarkar, Mousumi (5) 855
Bhowmick, Anil K., see Jha, Abhijit (5) 798
Bice, J. E., see Patkar, Shailesh (abs-S97#40) (4) 691
Bice, Jo Ann E., Patkar, S. D., and Okel, T. A., Effect of precipitated silicas in truck tire tread applications (abs-S97#17) (4) 686
Binga, T. D., see Ferrar, Wayne T. (abs-S97#84) (4) 701
Blümich, B., see Blümler, P. (rev) (3) 468
Blümler, P., and Blümich, B., NMR imaging of elastomers: a Review (rev) (3) 468
Bovenkamp-Bouwman, A. G. V. D, see Datta, R. N. (1) 129
Bowles, A. O., Jr., see Alleyne, B. A. (abs-F96#82) (1) 168
Brady, Robert F., Jr., Book Review: "Resins for Coatings—Chemistry, properties and Applications," D. Stoye and W. Freitag (2) G29
Breier, E., see Lüchow, H. (abs-S97#22) (4) 686
Breier, E., see Lüchow, H. (5) 747
Brignac, Stephen D. and Young, Harold W., The effects of EPM long chain branching on TPO properties (abs-F96#22) (1) 151
Brignac, Stephen D. and Young, H. W., High green strength EPDM with improved low temperature performance (abs-S97#78) (4) 700
Brown, T., see Patterson, William F. (abs-S97#25) (4) 687
Brown, T., see Wang, Meng-Jiao (abs-S97#24) (4) 687
Burns, G., see Wang, Lance (abs-S97#51) (4) 694
Byers, J., see McNeish, Alan A. (abs-S97#13) (4) 685

Cable, Clark and Smith, Charles, Epichlorohydrin in fuel hose (abs-F96#8) (1) 148
Cain, Roy, I—The deconvolution of the carbonyl stretch region of TDI polyurethanes and the carbonyl spectrum of allophanates in prepolymers by infrared spectroscopy (abs-F96#32) (1) 154
Cain, Roy, II—An infrared study of non-hydrogen-bonded nitrogen-hydrogen and carbonyl stretch bands in polyurethanes (abs-F96#33) (1) 154
Calderon, Nissim, Adel F. Halasa, Charles Goodyear Medalist—1997— Biography (3) G51
Callais, P. A., see Palys, Leonard H. (abs-S97#92) (4) 704
Callais, Peter A., see Palys, Leonard H. (abs-F96#88) (1) 170
Carter, Alan R., and Turner, R., Thermoplastic rubber as a shoe soling (abs- S97#43) (4) 691
Castille, M. J., see Parikh, D. R. (abs-S97#81) (4) 701
Chaki, T. K., see Bhowmick, Anil K. (abs-S97#90) (4) 703
Chartoff, R. P., see Sircar, A. K. (abs-F96#35) (1) 155
Chasar, Dwight W., Tetraisobutylthiuram monosulfide: How can it be both a cure retarder and accelerator with benzothiazole sulfenamides? (abs-F96#89) (1) 171
Chasar, Dwight W., Tetraisobutylthiuram monosulfide: How can it be both a cure retarder and accelerator with benzothiazole sulfenamides? (4) 634
Chase, Mike, Offset roller technology requirements (abs-S97#75) (4) 700
Chase, Mike, Overview of the roller industry (abs-S97#57) (4) 696
Chattaraj, P. P., Mukhopadhyay, R., and Tripathy, D. K., Effect of *trans*-polyoctenylene on crosslink structure of NR and SBR using solid state 13 C NMR spectroscopy and RPA 2000 (1) 90
Chatterjee, M. K., see Manna, Ajoy K. (4) 624
Cheung, Michael, see Mukkamala, Ramachandra (abs-F96#25) (1) 152
Choi, I. S. and Roland, C. M., Strain-crystallization of guayule and *Hevea* rubbers (2) 202
Choi, I. S., see Roland, C. Michael (abs-S97#96) (4) 705
Christensen, John M., Rader, Charles P., and Pfeiffer, Joseph E., Transition ion catalyzed oxidatation of thermoplastic vulcanizates (abs-F96#37) (1) 155
Chung, O., and Coran, A. Y., The morphology of rubber/plasstics blends (5) 781
Chung, O. and Coran, A. Y., The morphology of rubber/plastic blends (abs- F96#38) (1) 156
Clarson, Stephen J., Thermal and mechanical properties of siloxane elastomers (abs-S97#49) (4) 693
Clarson, Stephen T., Kuo, Chung-Mien, Adams, John E., Al-Ghamdi, Ali M. S., Takeoka, Toru, and Ishimaru, T., Dialkyltin dicarboxylates and tin dicarboxylates as cure catalysts in RTV silicone elastomers (abs-F96#90) (1) 171
Collins, J. D., see Alleyne, B. A. (abs-F96#82) (1) 168
Cook, S., Cudby, P. E. F., Davies, R. T., and Morris, M. D., The microstructure of natural rubber latex films (4) 549

Cook, Stuart, Book Review: "Polymeric Compatibilizers—Uses and Benefits in Polymer Blends," Sudhin Datta, David J. Lohse (2) G29
Cooper, C., see Lackey, Walter O. (abs-S97#39) (4) 690
Coran, A. Y., see Laokijcharoen, Pasaree (abs-F96#39) (1) 156
Coran, A. Y., see Chung, O. (abs-F96#38) (1) 156
Coran, A. Y., see Chung, O. (5) 781
Cormier, Helga, see Darmstadt, Hans (5) 759
Cousins, W. F., see Dato, John E. (abs-S97#27) (4) 688
Coz, Dennis, Baranwal, Krishna, and Knowles, Thomas M., Rubber compound analysis and formula reconstruction (abs-F96#68) (1) 164
Cruse, Richard W., Hofstetter, Martin H., Panzer, Louis M., and Pickwell, Robert J., Effect of polysulfidic silane sulfur content on properties of a low rolling resistance silica-filled tread compound (abs-F96#75) (1) 166
Cudby, P. E. F., see Cook, S. (4) 549
Cunningham, Randy, Sulfur, peroxide and isocyanate curable polyurethane rubber for demanding roll applications (abs-S97#58) (4) 696
Curtin, Mike, see Laube, Steve (abs-F96#18) (1) 151

Darmstadt, Hans, Roy, Christian, Kaliaguine, Serge, and Cormier, Helga, Surface energy of commercial and pyrolytic carbon blacks by inverse chromatography (5) 759
Dato, John E., Cousins, W. F., Von Hellene, W., and Wall, D. W., Elastomers for engine mounts (abs-S97#27) (4) 688
Datta, R. N., Schotman, A. H. M., Weber, A. J. M., van Wijk, F. G. H., van Haeren, P. J. C., Hofstraat, J. W., Talma, A. G., and Bovenkamp-Bouwman, A. G. V. D., Biscitraconimides as anti-reversion agents for diene rubbers: Spectroscopic studies on citraconimide-squalene adducts (1) 129
Datta, R. N. and Helt, W. F., New approaches to improve reversion resistance of thick sectional rubber articles (abs-F96#4) (1) 147
Datta, S., see De, S. K. (abs-S97#94) (4) 704
Datta, S., see De, S. K. (abs-S97#94) (4) 704
Davies, R. T., see Cook, S. (4) 549
Day, Robert, Kim, Kenneth H., New thermoplastic polyurethanes with enhanced elastomeric performance (abs-F96#15) (1) 150
De Sarkar, Mousumi, Mukunda, P. G., De, Prajna P., and Bhowmick, Anil K., Degradation of hydrogenated styrene–butadiene rubber at high temperature (5) 855
De, P. P., see De, S. K. (abs-S97#93) (4) 704
De, P. P., see Manna, Ajoy K. (4) 624
De, Prajna P., see De Sarkar, Mousumi (5) 855
De, S. K., see Manna, Ajoy K. (4) 624
De, S. K., Antony, P., and Datta, S., Ionomer based on maleated high density polyethylene and its blend with ionomeric maleated ethylene–propylene–diene terpolymer (abs-S97#94) (4) 704
De, S. K., De, P. P., Ghosh, S. K., and Khastgir, D., Ionomer based on sulfonated maleated EPDM rubber (abs-S97#93) (4) 704
Dehnicke, Stefan, Aqueous adhesives as an alternative to conventional rubber-to-metal adhesives (abs-F96#85) (1) 170
Dekmezian, A. H., see Arjunan, P. (abs-F96#81) (1) 168
Deltour, R., see Soares, B. G. (1) 60
DelVecchio, R. J., Book Review: "SPC for Short Run Manufacturing," Leonard A. Doty (5) G87
Denstaedt, Glenn, see Laube, Steve (abs-F96#18) (1) 151
Devasthali, Prakash, Need for polymeric (non-metallic) protective devices in safety footwear applications (abs-S97#47) (4) 693
Devasthali, Prakash and Franche, D. C., Application of water reducible adhesives in rubber footwear manufacturing (abs-F96#10) (1) 148
Dias, A. J., see Tse, Mun F. (abs-F96#24) (1) 152
Dias, A. J., see White, Jeffery L. (abs-F96#43) (1) 157
Dick, John S., Ruffing, Charles T., and Gilmore, Rick, Cure profile measurements of liquid elastomer systems using the moving die curemeter with special adaptor (abs-F96#91) (1) 171
Dick, John S., Harmon, C., and Vare, A., Quality assurance of natural rubber using rubber process analyzer (abs-S97#97) (4) 705

Dickson, Sean, see Lapsley, Tom (abs-S97#74) (4) 700
Dipino, M., see Maxson, Myron T. (abs-S97#65) (4) 698
Divinagracia, Joe, Clean Washington Center's best practices for scrap tire and rubber recycling (abs-S97#10) (4) 684
Downey, Simon, Techniques in small dimension rubber extrusion (abs-F96#51) (1) 160
Donovan, J. A., see Ramakrishnan, R. (abs-F96#66A) (1) 164
Donovan, James A., Carbon black reinforcement of the toughness of natural rubber (abs-S97#34) (4) 689
Dubois, Ph., Yu, Y. S., Teyssié, Ph., and Jérôme, R., New polybutadiene-based thermoplastic elastomers: Synthesis, morphology and mechanical properties (5) 714
Dubois, Ph., see Yu, Y. S. (5) 820
Dumler, H. B., see Heinrich, Gert (abs-S97#23) (4) 687
Dutta, S., see Bhowmick, Anil K. (abs-S97#90) (4) 703
Duvdevani, Ilan, Processability by Mooney relaxation for isobutylene elastomers (abs-F96#64) (1) 163
Dwyer, James L., Measurement of compositional variation of elastomers by combined chromatography–Infrared spectroscopy (abs-F96#34) (1) 154

Edmondson, M. S., see Parikh, D. R. (abs-S97#81) (4) 701
Eller, Robert, New developments in the TPE industry (abs-F96#37A) (1) 156
Ellul, Maria D., Novel thermoplastic elastomer vulcanizates exhibiting superior low temperature performance and elasticity (abs-F96#29) (1) 153
Engelhardt, Martin L., Comparison of laboratory tests for reversion resistance of tire compounds (abs-F96#1) (1) 146
Evans, L., see Fultz, William C. (abs-S97#37) (4) 690
Evans, Larry R. and Fultz, W., Truck tire tread compounds with highly-dispersible silica (abs-S97#15) (4) 685

Farid, A. S., see Amir-Hasham, M. Y. (abs-F96#11) (1) 149
Farid, A. S., see Amir-Hashim, M. Y. (4) 560
Ferrandino, Mark P. and Hong, S. W., EPDM/high diene rubber blends for improved tire sidewall appearance—understanding the characteristics of each component (abs-S97#7) (4) 683
Ferrar, Wayne T., Fitzgerald, J. J., and Binga, T. D., Fatigue resistant silicone elastomer formulations (abs-S97#84) (4) 701
Fesus, Ed., see Klingensmith, William (abs-F96#56) (1) 161
Finney, Donald L. and Papa, J., Silicone rubber applications: Why silicones are used (abs-S97#62) (4) 697
Fitzgerald, J. J., see Ferrar, Wayne T. (abs-S97#84) (4) 701
France, Lawrence M., see Lee, Yong-Joon (2) 256
Freakley, P. K., see Murray, G. A. W. (1) 50
Fruh, T., see Schuster, Robert H. (abs-S97#53) (4) 695
Fry, Charles G., Morelli, John J., and Grayson, Michael A., The kinetic map to determine long-term durability of polymeric materials undergoing weight loss (abs-F96#36) (1) 155
Fujikawa, Tatsuo, Yamazaki, Shunichi, and Uchiyama, Yoshitaka, Tire wear caused by mild tread slip (4) 572
Fultz, W., see Evans, Larry R. (abs-S97#15) (4) 685
Fultz, William C. and Evans, L., Tire tread compounds with silica/carbon black blends (abs-S97#37) (4) 690

Gaitens, M. J., see Banks, H. T. (abs-F96#63) (1) 163
Galaska, M. L., see Sircar, A. K. (abs-F96#35) (1) 155
Galuska, A. A., Poulter, R. R., and McElrath, K. O., AFM Force modulation microscopy of immiscible elastomer blends: morphology, fillers, and crosslinking (abs-F96#52) (1) 160
Galuska, A. A., Surface chemistry of bromobutyl binary blends (abs-F96#55) (1) 160
Garrido, Leoncio, NMR of tissues exposed to polysiloxane gels (abs-S9788) (4) 702
Gerspacher, M., O'Farrell, C. P., Nikiel, L., Yang, H. H., and Tricot, C., Modeling of viscoelastic properties of filled rubber compounds (abs-F96#74) (1) 166
Gerspacher, M., see Zerda, Waldek (abs-S97#26) (4) 688
Gerspacher, Michael, see Hejlm, Rex (abs-S97#55) (4) 695

Gerspacher, Michel, Nikiel, L., Yang, H. H., and O'Farrell, P., Reflectometry—A New method of measuring filler dispersion (abs-S97#35) (4) 689
Ghosh, S. K., see De, S. K. (abs-S97#93) (4) 704
Gilbertson, Gary W., see Medsker, Robert E. (abs-F96#14) (1) 150
Gill, D., see Walsh, Mike (abs-S97#99) (4) 706
Gillis, D. J., see Karples, Richard (abs-S97#80) (4) 701
Gillotti, Gabe, OSHA procedures: Non-inforcement partnerships (abs-S97#20) (4) 686
Gilmore, Rick, see Dick, John S. (abs-F96#91) (1) 171
Glass, T. E., see Wang, Lance (abs-S97#51) (4) 694
Goerl, Udo and Muenzenberg, J., Investigation into the chemistry of TESPT sulfur chain (abs-S97#38) (4) 690
Goerl, Udo, Hunsche, Andrea, Mueller, Arndt, and Koban, H. G., Investigations into the silica–silane reaction system (4) 608
Gooch, Lawrence R., Upgrading older calenders for improved performance—Selecting calenders for upgrading (abs-F96#50) (1) 159
Goolsby, R. D., see Bauman, Judson T. (abs-S97#70) (4) 699
Göuorl, U. and Hunsche, A., Advanced investigations into the silica–silane reaction system (abs-F96#76) (1) 167
Govindjee, Sanjay, An evaluation of strain amplification concepts in Monte Carlo simulation of an ideal composite (1) 25
Gozdiff, Michael and Laurich, J. C., Influence of temperature on properties of vulcanized NBR and XNBR rubber (abs-S97#59) (4) 696
Graham, Blair, Book Review: "Rotational Moulding of Plastics," R. J. Crawford (2) G30
Gray, Terry, Evolving developmental technologies for scrap tires—A promising frontier for dreamers and schemers (abs-S97#3) (4) 682
Grayson, Michael A., see Fry, Charles G. (abs-F96#36) (1) 155
Gronski, W., see Lüchow, H. (abs-S97#22) (4) 686
Gronski, W., see Lüchow, H. (5) 747
Gruber, Tyler C. and Herd, Charles R., Anisometry measurements in carbon black aggregate populations (5) 727
Gruber, Tyler C. and Herd, Charles R., Characterization of three-dimensional morphology and anisotropy of carbon black aggregates (abs-F96#72) (1) 165
Gubbels, F., see Soares, B. G. (1) 60

Haasnoot, J. G., see Versloot, P. (1) 106
Haeder, Walter M., PKS 500—Successful mixing room automation worldwide (abs-96F#47) (1) 158
Haidar, B., see Mansencal, R. (abs-S97#56) (4) 695
Halasa, Adel, see Rinaldi, Peter L. (abs-F96#44) (1) 158
Halasa, Adel F., Preparation and characterization of solution SIBR *via* anionic polymerization (rev) (3) 295
Halasa, Adel F., Book Review: "Anionic Polymerization: Principles and Practical Applications" H. L. Hsieh, R. P. Quirk (1) G10
Hamed, G. R. and Paul, R., Effect of various bonding agents on the sulfidation of brass-plated steel cords immersed in squalene mixtures (abs-F96#87) (1) 170
Hamed, G. R. and Paul, R., Effect of various bonding agents on the sulfidation of brass-plated steel cords immersed in squalene mixtures (4) 541
Harmon, C., see Dick, John S. (abs-S97#97) (4) 705
Harrington, Michael D., Crumb rubber from whole tire recycling (abs-S97#2) (4) 681
Hawley, Martin C., see Lee, Yong-Joon (2) 256
Hayashi, Sachio, see Kobatate, Takushi (5) 839
Hazelton, Donald R., see Medsker, Robert E. (abs-F96#14) (1) 150
Heinrich, Gert, see Klüppel, Manfred (2) 243
Heinrich, Gert, Hysteresis friction of sliding rubbers on rough and fractal surfaces (1) 1
Heinrich, Gert and Dumler, H. B., Wet skid properties of filled rubbers and the rubber–glass transition (abs-S97#23) (4) 687
Hejlm, Rex and Gerspacher, Michael, Carbon black and composites with elastomers: Morphology and associations as studied by small-angle neutron scattering (abs-S97#55) (4) 695
Helt, W. F., see Datta, R. N. (abs-F96#4) (1) 147

Hensel, M., see Menting, K.-H (abs-S97#5) (4) 682
Herd, Charles R., see Gruber, Tyler C. (5) 727
Herd, Charles R., see Gruber, Tyler C. (abs-F96#72) (1) 165
Hirahara, Hidetoshi, see Mori, Kunio (2) 211
Hirst, Robert, see Rinaldi, Peter L. (abs-F96#44) (1) 158
Hofmann, N. L., Engineering for adhesive strength and durability of rubber–metal bonds (abs-F96#86) (1) 170
Hofstetter, Martin H., see Cruse, Richard W. (abs-F96#75) (1) 166
Hofstraat, J. W., see Datta, R. N. (1) 129
Holden, Geoffrey, Styrenic thermoplastic elastomers—The pathway to invention (abs-F96#12) (1) 149
Hong, S. W., see Ferrandino, Mark P. (abs-S97#7) (4) 683
Hong, Sung W., Ferrandino, Mark P., and Sanders, Juan A., Stable crosslink systems and a reactive plasticizer for improved wear resistance of truck treads (abs-F96#17) (1) 150
Horvath, Jim, see Stockdale, Michael (abs-F96#40) (1) 157
Hoshi, Y., see Thorburn, Bruce (abs-S97#89) (4) 703
Hsieh, Henry, International Rubber Science Hall of Fame Inductee, Gerard Kraus, 1920-1990 (2) G32
Huang, Q., see Mackenzie, John D. (abs-S97#85) (4) 702
Hunsche, A., see Göuorl, U. (abs-F96#76) (1) 167
Hunsche, Andrea, see Goerl, Udo (4) 608
Hunziker, Peter, see Meyke, Joachim (abs-F96#41) (1) 157

Ikeda, Y., see Tanahashi, Hideaki (abs-S97#72) (4) 699
Isayev, A. I., Kim, S. H., and Levin, V. Yu., Superior mechanical properties of reclaimed SBR with bimodal network (2) 194
Isayev, A. I., see Johnston, S. T (abs-F96#61) (1) 162
Isayev, A. I., see Yushanov, S. P. (abs-F96#59) (1) 162
Isayev, A. I., see Levin, V. Yu. (1) 120
Isayev, A. I., Kim, S. H., and Levin, V. Yu., Reclaimed SBR with superior mechanical properties (abs-F96#62) (1) 163
Isayev, A. I., see Levin, V. Yu (4) 641
Isayev, A. I., see Johnston, S. T. (2) 183
Isayev, A. I., see Levin, V. Yu (abs-F96#60) (1) 162
Ishimaru, Taizo, see Clarson, Stephen T. (abs-F96#90) (1) 171
Italiander, Tom, Granular gas-phase EPDM—Continuous mixing becomes a reality (abs-S97#79) (4) 701
Iwama, S., see Takino, H. (1) 15

Jablonowski, Thomas L. and Scribner, R. J., Acrylonitrile–butadiene rubber for use in roll applications (abs-S97#61) (4) 696
Jahromi, M. R. Vaseghi, see Murray, G. A. W. (1) 38
Jalics, George, Modification of chlorobutyl rubber by living polydiene grafts (abs-F96#20) (1) 151
Jérôme, R., see Soares, B. G. (1) 60
Jérôme, R., see Dubois, Ph. (5) 714
Jérôme, R., see Yu, Y. S. (5) 820
Jha, Abhijit and Bhowmick, Anil K., Thermoplastic elastomeric blends of nylon-6/acrylate rubber: Influence of interaction on mechanical and dynamic mechanical thermal properties (5) 798
Ji, Q., see Wang, Lance (abs-S97#51) (4) 694
Johnston, S. T., Massey, J., von Meerwall, E., Kim, S. H., Levin, V. Yu., and Isayev, A. I., Ultrasound devulcanization of SBR: Molecular mobility of gel and sol (abs-F96#61) (1) 162
Johnston, S. T., Massey, J., von Meerwall, E., Kim, S. H., Levin, V. Yu., and Isayev, A. I., Ultrasound devulcanization of SBR: Molecular mobility of gel and sol (2) 183

Kaidu, H., see Yatsuyanagi, F. (abs-S97#9) (4) 684
Kakubo, T., see Kawahara, Seiichi (abs-S97#95) (4) 705
Kale, D. D., see Tipanna, M. (5) 815
Kaliaguine, Serge, see Darmstadt, Hans (5) 759
Kantz, J. F., see Alleyne, B. A. (abs-F96#82) (1) 168

Karples, Richard, Beardsley, P., Gillis, D. J., and Wortman, W. A., A comparison of metalloceene and vanadium single-site technology and the viscoelastic consistency of vanadium based EP(D)M products (abs-S97#80) (4) 701

Kawahara, Seiichi, Tanaka, Y., Kakubo, T., and Matsuura, A., Origin of characteristic properties of natural rubber—Effect of fatty acids on crystallization of *cis*-1,4-polyisoprene (abs-S97#95) (4) 705

Kay, T. W., see Alleyne, B. A. (abs-F96#82) (1) 168

Kear, Kenneth E., Book Review: "Designing with Reinforced Composites: Technology, Performance, Economics," Dominick V. Rosato (4) G65

Kelbch, S., see Sumner, A. J. M. (abs-S97#16) (4) 685

Khait, Klementina, New solid-state shear extrusion pulverization process for used tire rubber recovery (abs-F96#49) (1) 159

Khastgir, D., see De, S. K. (abs-S97#93) (4) 704

Kim, Kenneth H., see Day, Robert (abs-F96#15) (1) 150

Kim, S. H., see Isayev, A. I. (2) 194

Kim, S. H., see Levin, V. Yu. (1) 120

Kim, S. H., see Yushanov, S. P. (abs-F96#59) (1) 162

Kim, S. H., see Levin, V. Yu (abs-F96#60) (1) 162

Kim, S. H., see Johnston, S. T. (2) 183

Kim, S. H., see Johnston, S. T (abs-F96#61) (1) 162

Kim, S. H., see Isayev, A. I. (abs-F96#62) (1) 163

Kim, S. H., see Levin, V. Yu (4) 641

Klei, B. and Koenig, J. L., Solid state ^{13}C NMR analysis of vulcanized rubbers. XVI. The competitive vulcanization of natural rubber and polybutadiene blends (2) 231

Klingensmith, William, Sherritt, Jerry M., and Fesus, Ed, Improving physical and processing properties of thermoset formulae that have been extended with ground recyclate (abs-F96#56) (1) 161

Klüppel, M., see Schuster, Robert H. (abs-S97#53) (4) 695

Klüppel, Manfred, Schuster, R. H., and Schaper, J., Carbon black distribution in rubber blends: A mechanic-dynamic analysis (abs-S97#54) (4) 695

Klüppel, Manfred, Schuster, Robert H., and Heinrich, Gert, Structure and properties of reinforcing fractal filler networks in elastomers (2) 243

Knoerr, Klaus, Practical compounding of millable polyurethane mixtures—Dependence on economical process design for the injection molding process (abs-S97#73) (4) 699

Knowles, Thomas M., see Coz, Dennis (abs-F96#68) (1) 164

Koban, H. G., see Goerl, Udo (4) 608

Kobatate, Takushi, Kodama, Kazumi, Hayashi, Sachio, and Yoshioka, Akira, Improvement of low-temperature flexibility of hydrogenated nitrile–butadiene rubber (5) 839

Kodama, Kazumi, see Kobatate, Takushi (5) 839

Koenig, J. L., see Klei, B. (2) 231

Koenig, J. L., see Neumeister, Lori (2) 271

Koenig, Jack L., see Mori, Makio (4) 671

Kohjiya, S., see Takino, H. (1) 15

Kohjiya, S., see Tanahashi, Hideaki (abs-S97#72) (4) 699

Kohjiya, S., see Takino, H. (4) 584

Kohler, Rudi and O'Neill, John, New technologies for the devulcanization of sulfur-cured scrap elastomers (abs-F96#58) (1) 162

Kotz, Denise A., Bauerle, John G., and Tabb, David L., Improved processing and other advances in peroxide-curable Viton® Fluoroelastomers (abs-F96#84) (1) 169

Kramer, S., see Mackenzie, John D. (abs-S97#85) (4) 702

Kresge, E. N., Advances in thermoplastic elastomer polymer blends (abs-F96#28) (1) 153

Kuo, Chung-Mien, Battjes, Kevin, Miller, Robert L., and Saam, John C., Strain induced crystallization in stereoregular poly[methyl(3,3,3-trifluoropropyl)siloxane] networks (5) 769

Kuo, Chung-Mien, see Clarson, Stephen T. (abs-F96#90) (1) 171

Kusznir, R. B., see Arjunan, P. (abs-F96#81) (1) 168

Lackey, Walter O., Cooper, C., and Lynch, T. J., Surface-treated mineral performance in elastomers (abs-S97#39) (4) 690

Laird, J. L. and Larson, S. F., Effects of EPDM compositional variations on compounded properties (abs-F96#27) (1) 153

Landel, Robert F., A simple $w'\lambda$ function for the Valanis–Landel form of stored energy function (abs-S97#67) (4) 698

Laokijcharoen, Pasaree, Coran, A. Y., The evolution of morphology in NR/HDPE blends. Part I. Unvulcanized blends (abs-F96#39) (1) 156

Lapsley, Tom and Dickson, Sean, The advantages of silicone elastomers in the construction of rollers (abs-S97#74) (4) 700

Larson, S. F., see Laird, J. L. (abs-F96#27) (1) 153

Lattimer, Robert P., Pyrolysis–Field ionization–Mass spectrometry of diene rubbers (abs-F96#46) (1) 158

Laube, Steve, Curtin, Mike, and Denstaedt, Glenn, Carbon black effects in truck tire components (abs-F96#18) (1) 151

Laurich, J. C., see Gozdiff, Michael (abs-S97#59) (4) 696

Laurich, Jaclyn, see Stockdale, Michael (abs-F96#40) (1) 157

Lee, C.-L., see Saruyama, Toshio (abs-S97#64) (4) 697

Lee, Yong-Joon, France, Lawrence M., and Hawley, Martin C., The effect of network formation on the rheological properties of SBR modified asphalt binders (2) 256

Lemieux, Marvin A. and Rader, Charles P., The recycle of plastics and rubber—A contrast (abs-F96#31) (1) 154

Levin, V. Yu., Kim, S. H., and Isayev, A. I., Effect of crosslink type on the ultrasound devulcanizatic.. of SBR vulcanizates (4) 641

Levin, V. Yu., see Johnston, S. T (abs-F96#61) (1) 162

Levin, V. Yu., Kim, S. H., and Isayev, A. I., Vulcanization of ultrasonically devulcanized SBR elastomers (1) 120

Levin, V. Yu., see Johnston, S. T. (2) 183

Levin, V. Yu., see Isayev, A. I. (abs-F96#62) (1) 163

Levin, V. Yu., Kim, S. H., and Isayev, A. I., Effects of crosslink type on the ultrasound devulcanization of SBR vulcanizates (abs-F96#60) (1) 162

Levin, V. Yu., see Isayev, A. I. (2) 194

Li, Lan, see Rinaldi, Peter L. (abs-F96#44) (1) 158

Liu, Weixa, see Rinaldi, Peter L. (abs-F96#44) (1) 158

Long, Joan C., Business information support for the rubber industry (rev) (3) 530

Lowery, R. Derric, Book Review: "Hydrocarbon Resins," G. Collin, R. Mildenberg, and M. Zander (4) G65

Lüchow, H., Breier, E., and Gronski, W., Characterization of polymer adsorption on disordered filler surfaces by transversal 1H NMR relaxation (5) 747

Lüchow, H., Breier, E., and Gronski, W., Characterization of polymer adsorption on distressed filler surfaces by transversal (abs-S97#22) (4) 686

Luginsland, Hans-Detlef, see Thorn-Csányi, Emma (2) 222

Lutz, Eric A., Decreasing costs through information: Implementation of chemical inventories and management of material safety data sheets (abs-S97# 032) (4) 689

Lybeck, N. J., see Banks, H. T. (abs-F96#63) (1) 163

Lynch, T. J., see Lackey, Walter O. (abs-S97#39) (4) 690

Mackenzie, John D., Huang, Q., and Kramer, S., Rubbery Ormosils (abs-S97#85) (4) 702

Mahnmud, K., see Wang, Meng-Jiao (abs-S97#24) (4) 687

Maláč, Jiří, Frictional heating of vulcanized rubber surfaces and the behavior of race-tire treads on dry pavements (4) 595

Mangold, D. J., see Parikh, D. R. (abs-S97#81) (4) 701

Manna, Ajoy K., De, P. P., Tripathy, D. K., De, S. K., and Chatterjee, M. K., Chemical interaction between surface oxidized carbon black and epoxidezed natural rubber (4) 624

Mansencal, R., Haidar, B., Delmottle, L., and Vidal, A., A high-resolution NMR of polybutadiene–carbon black interface (abs-S97#56) (4) 695

Mark, James E., Overview of polysiloxane elastomers (abs-S97#48) (4) 693

Marmo, J. C. and Wagener, K. B., Metathetical degradation and depolymerization of unsaturated polymers (rev) (3) 519

Massey, J., see Johnston, S. T. (2) 183

Massey, J., see Johnston, S. T (abs-F96#61) (1) 162

Matsuo, T., see Takino, H. (4) 584

Matsushita, T., see Saruyama, Toshio (abs-S97#64) (4) 697
Matsuura, A., see Kawahara, Seiichi (abs-S97#95) (4) 705
Mattison, Scott, see Shields, Kathleen (abs-S97#91) (4) 703
Maxson, Myron T. and Dipino, M., Platinum cure high consistency fluorosilicone elastomers (abs-S97#65) (4) 698
McElrath, K. O., see Measmer, Matthew B. (abs-S97#30) (4) 689
McElrath, K. O., see Tse, Mun F. (abs-F96#9) (1) 148
McElrath, K. O., see Tse, Mun F. (abs-S97#7) (4) 683
McElrath, K. O., Wang, H.-C., and Wang, Y. F., Relationships between De Mattia cut growth and physical properties of model elastomer compounds (abs-S97#8) (4) 683
McElrath, K. O., see Galuska, A. A. (abs-F96#52) (1) 160
McElrath, Ken O. and Tisler, A. L., Improved elastomer blend compounds for tire sidewalls (abs-S97#6) (4) 683
McElrath, Kenneth O. and Measmer, Matthew B., Reversion resistant cures for rubber compounds based on BIMS (brominated isobutylene *p*-methylstyrene) (abs-F96#5) (1) 147
McGill, W. J., see Nieuwenhuizen, P. J. (rev) (3) 368
McGrath, J. E., see Wang, Lance (abs-S97#51) (4) 694
McNabb, Robert W., Jr. and Smith, Ty, Intensive mixer preventative maintenance program (abs-F96#48) (1) 159
McNeish, Alan A. and Byers, J., Low rolling resistance tread compounds—Some compounding solutions (abs-S97#13) (4) 685
Measmer, Matthew B. and McElrath, K. O., Elastomer blend approach to extend heat life of natural rubber based engine mounts (abs-S97#30) (4) 689
Measmer, Matthew B., see McElrath, Kenneth O. (abs-F96#5) (1) 147
Medsker, Robert E., Hazelton, Donald R., Gilbertson, Gary W., and Pfeiffer, Joseph E., New non-hygroscopic UV-resistant thermoplastic vulcanizates for extrusion (abs-F96#14) (1) 150
Meinecke, Eberhard A., see Metlikovic, Peter (abs-F96#66) (1) 164
Menting, K.-H, Hensel, M., and Stone, C., The processability of "green tyre" tread compounds based on the new "inversion" carbon blacks (abs-S97#5) (4) 682
Metlikovic, Peter and Meinecke, Eberhard A., Stresses, slip and abrasion of rubber covered conveyor rollers, a review (abs-F96#66) (1) 164
Meyke, Joachim, Hunziker, Peter, Extrusion of TPE profiles using water as physical blowing agent (abs-F96#41) (1) 157
Miller, R. L., see Saam, John C. (abs-S97#50) (4) 694
Miller, Robert L., see Kuo, Chung-Mien (5) 769
Moneypenny, H., see Patterson, William J. (abs-S97#25) (4) 687
Monte, Salvatore J., Titanium and zirconium esters as couplers and single site catalysts for in situ repolymerization and copolymerization useful for recycled polymeric compositions (abs-F96#57) (1) 161
Morelli, John J., see Fry, Charles G. (abs-F96#36) (1) 155
Mori, Kunio, Hirahara, Hidetoshi, amd Oishi, Yoshiyuki, Direct adhesion between electroless nickel-P plated metals and NBR compounds during curing (2) 211
Mori, Makio and Koenig, Jack L., Solid-state C-13 NMR studies of vulcanized elastomers. XV. Effect of carbon black grade on the network structure of natural rubber vulcanizates (abs-F96#42) (1) 157
Mori, Makio and Koenig, Jack L., Solid-state C-13 NMR studies of vulcanized elastomers. XVII. Effect of carbon black grade on the network structure in natural rubber vulcanizates (4) 671
Morris, M. D., see Cook, S. (4) 549
Morris, M. D., see Amir-Hasham, M. Y. (abs-F96#11) (1) 149
Morris, M. D., see Amir-Hashim, M. Y. (4) 560
Morris, Michael D. and Anand, Joginder, Reinforcement of latex articles by the use of fumed silica dispersions (abs-F96#78) (1) 167
Moskal, M. G., see Palys, Leonard H. (abs-S97#92) (4) 704
Moskal, Michael G., see Palys, Leonard H. (abs-F96#88) (1) 170
Mott, P. H., see Roland, Michael (abs-S97#68) (4) 698
Mouri, Hiroshi and Akutagawa, K., Reducing energy loss to improve tire rolling resistance (abs-S97#14) (4) 685
Mueller, Arndt, see Goerl, Udo (4) 608
Muenzenberg, J., see Goerl, Udo (abs-S97#38) (4) 690

Muggli, M., see Wang, Lance (abs-S97#51) (4) 694
Mukhopadhyay, R., see Chattaraj, P. P. (1) 90
Mukkamala, Ramachandra and Cheung, Michael, Organometallic transformations in composites obtained using sol-gel process and microemulsion polymerization technology (abs-F96#25) (1) 152
Mukunda, P. G., see De Sarkar, Mousumi (5) 855
Müonotz, B. S., see Banks, H. T. (abs-F96#63) (1) 163
Murakami, K., see Tanahashi, Hideaki (abs-S97#72) (4) 699
Murray, G. A. W., Southwart, D. W., and Freakley, P. K., The Dark Field Cut Surface (DFCS) test for estimating the dispersion of carbon black in rubber compounds (1) 50
Murray, G. A. W., Ng, B. H. R., Jahromi, M. R. Vaseghi, and Southwart, D. W., Some initial trials and applications of the DFCS test for carbon black dispersions (1) 38
Musch, Roudiger, Schubart, Roudiger, and Sumner, Anthony, Heat resistant curing systems for halogen-containing polymers (abs-F96#6) (1) 147

Nagel, Walter, New coagent for improved EPDM properties (abs-F96#79) (1) 167
Nakajima, N., Book Review: "Plastics Extrusion Technology," 2nd ed., Friedhelm Hensen, Ed. (4) G66
Nakajima, N. and Yamaguchi, Y., Mill processability of *cis*-1,4-polybutadienes and deformational characteristics (abs-F96#65) (1) 163
Nakajima, N. and Yamagushi, Y., Effect of fillers and rubber structures on tensile behavior of filled, unvulcanized compounds of *cis*-1,4-polybutadiene (abs-F96#73) (1) 166
Nakajima, N. and Varkey, J. P., Effect of polar solvents on dynamic moduli of concentrated solutions of polyethylacrylate (abs-S97#69) (4) 698
Nakamura, Masao, Takagishi, Y., and Noguchi, Kokichi, Effects of filler on compatibility of natural rubber (abs-F96#80) (1) 168
Nakayama, R., see Takino, H. (4) 584
Neumeister, Lori and Koenig, J. L., Crack analysis of unfilled natural rubber using infrared microspectroscopy (2) 271
Ng, B. H. R., see Murray, G. A. W. (1) 38
Nieuwenhuizen, P. J., see Versloot, P. (1) 106
Nieuwenhuizen, P. J., Reedijk, J., van Duin, M., and McGill, W. J., Thiuram- and dithiocarbamate-accelerated sulfur vulcanization from the chemist's perspective: Methods, materials and mechanisms reviewed (rev) (3) 368
Nikiel, L., see Gerspacher, Michel (abs-S97#35) (4) 689
Nikiel, L., see Gerspacher, M. (abs-F96#74) (1) 166
Ninan, K. N., see Bandyopadhyay, G. G. (4) 650
Noguichi, Kokichi, see Nakamura, Masao (abs-F96#80) (1) 168
Novits, M. F., see Palys, Leonard H. (abs-S97#92) (4) 704
Novits, Michael F., see Palys, Leonard H. (abs-F96#88) (1) 170

O'Brien, M. G., see Amir-Hashim, M. Y. (4) 560
O'Brien, M. G., see Amir-Hasham, M. Y. (abs-F96#11) (1) 149
O'Farrell, C. P., see Gerspacher, M. (abs-F96#74) (1) 166
O'Farrell, C. P., see Gerspacher, Michel (abs-S97#35) (4) 689
O'Neill, John, see Kohler, Rudi (abs-F96#58) (1) 162
Oishi, Yoshiyuki, see Mori, Kunio (2) 211
Okel, T. A., see Patkar, Shailesh (abs-S97#40) (4) 691
Okel, T. A., see Bice, Jo Ann E. (abs-S97#17) (4) 686
Osanai, S., see Tanahashi, Hideaki (abs-S97#72) (4) 699

Paeglis, A. U., see Alleyne, B. A. (abs-F96#82) (1) 168
Palys, Leonard H., Callais, P. A., Novits, M. F., and Moskal, M. G., New peroxide formulations for crosslinking chlorinated polyethylene, silicone, fluoroelastomer and polyethylene co- and terpolymer type elastomers (abs-S97#92) (4) 704
Palys, Leonard H., Callais, Peter A., Novits, Michael F., and Moskal, Michael G., New peroxide crosslinking formulations for metallocene based poly(ethylene) copolymers (abs-F96#88) (1) 170
Panzer, Louis M., see Cruse, Richard W. (abs-F96#75) (1) 166
Papa, J., see Finney, Donald L. (abs-S97#62) (4) 697

Parikh, D. R., Edmondson, M. S., Castille, M. J., Mangold, D. J., Winter, J. M., and Smith, B. W., Composition and structure—Property relationships of single site constrained geometry EPDM elastomers (abs-S97#81) (4) 701

Parikh, D. R., see Smith, B. W. (abs-S97#82) (4) 701

Patkar, S. D., see Bice, Jo Ann E. (abs-S97#17) (4) 686

Patkar, Shailesh, Bice, J. E., and Okel, T. A., Effect of silica on the viscoelastic properties of a model tread compound (abs-S97#40) (4) 691

Patterson, W., see Wang, Meng-Jiao (abs-S97#24) (4) 687

Patterson, William F., Wang, Meng-Jiao, Brown, T., and Moneypenny, H., Carbon/silica dual phase filler, a new generation reinforcing agent for rubber: Part II—Application of carbon/silica dual phase filler to tire tread compounds (abs-S97#25) (4) 687

Paul, R., see Hamed, G. R. (abs-F96#87) (1) 170

Paul, R., see Hamed, G. R. (4) 541

Pfeiffer, Joseph E., Christensen, John M, (abs-F96#37) (1) 155

Pfeiffer, Joseph E., see Medsker, Robert E. (abs-F96#14) (1) 150

Phair, Maxine and Wampler, Thomas, Analysis of rubber materials by pyrolysis–gas chromatography (abs-F96#69) (1) 165

Pickwell, Robert J., see Cruse, Richard W. (abs-F96#75) (1) 166

Plasczynski, Thad and Warren, Pat, New aqueous topcoat for bonding rubber to metal (abs-F96#83) (1) 169

Poulter, R. R, see Galuska, A. A. (abs-F96#52) (1) 160

Put, P., see Versloot, P. (1) 106

Rader, Charles P., see Lemieux, Marvin A. (abs-F96#31) (1) 154

Rader, Charles P., Christensen, John M, (abs-F96#37) (1) 155

Ramakrishnan, R. and Donovan, J. A., Correlation of wear rate with fatigue crack growth rate through pattern movement and grinding wheel morphology (abs-F96#66A) (1) 164

Read, Ron B., Health and safety management (abs-S97#31) (4) 689

Recchio, Michael J., see Wood, Michael E. (abs-F96#7) (1) 148

Reed, Thomas and Warley, R. L., Carbon black's effects on vibration isolation (abs-S97#29) (4) 688

Reedijk, J., see Nieuwenhuizen, P. J. (rev) (3) 368

Reedijk, J., see Versloot, P. (1) 106

Remediakis, Nikolais G., Weiss, R. A., and Shaw, Montgomery, T., Phase structure changes in a sheared blend of high molecular weight polybutadiene and polyisoprene elastomer (1) 71

Reneker, Darrell H., Scanning probe microscopy of carbon black and elastomer composites (abs-F96#54) (1) 160

Rinaldi, Peter L., Li, Lan, Saito, Takeshi, Lin, Weixa, Visintainer, James, Hirst, Robert, and Halasa, A., Characterization of polymer structures and stereochemistry using three dimensional NMR techniques (abs-F96#44) (1) 158

Rodriguez, S., see Sircar, A. K. (abs-F96#35) (1) 155

Rogers, J. E., Book Review: "Engineering Thermoplastics–Polycarbonates–Polyacetals–Polyesters–Cellulose Esters," L. Bottenbruch (3) G55

Roland, C. M., Book Review: "A Half Century of the Journal of Polymer Science," D. A. Tirrell, E. M. Pearce, M. Sawamoto, E. J. Amis (3) G55

Roland, C. M., see Choi, I. S. (2) 202

Roland, C. Michael and Choi, I. S., Intrinsic flaws in natural rubber (abs- S97#96) (4) 705

Roland, Michael and Mott, P. H., Birefringence of rubber (abs-S97#68) (4) 698

Roy, Christian, see Darmstadt, Hans (5) 759

Ruffing, Charles T., see Dick, John S. (abs-F96#91) (1) 171

Saam, John C., Battjes, K. P., and Miller, R. L., Strain-induced crystallization in stereoregular poly[methyl(3,3,3-trifluoropropyl)siloxane] networks (abs-S97#50) (4) 694

Saam, John C., see Kuo, Chung-Mien (5) 769

Saito, Takeshi, see Rinaldi, Peter L. (abs-F96#44) (1) 158

Saruyama, Toshio, Matsushita, T., and Lee, C. -L., Development of new hydrosilylation cure system with microencapsulated platinum catalysts (abs- S97#64) (4) 697

Schaper, J., see Klüppel, Manfred (abs-S97#54) (4) 695

School, Rudy, Turn-of-the-century market trends for thermoplastic elastomers (abs-F96#13) (1) 149

Schotman, A. H. M., see Datta, R. N. (1) 129

Schroeter, Axel, Development of polyurethane rubbers, vulcanizable *via* dimerized TDI, for the production of wear- and tear-resistant rubber roll coverings in a very high hardness (abs-S97#77) (4) 700

Schubart, Roudiger, see Musch, Roudiger (abs-F96#6) (1) 147

Schuster, R. H., see Klüppel, Manfred (abs-S97#54) (4) 695

Schuster, Robert H., see Klüppel, Manfred (2) 243

Schuster, Robert H., Klüppel, M., and Fruh, T., Reinforcement of polydiene elastomers by kinetically aggregated microgels (abs-S97#53) (4) 695

Scribner, R. J., see Jablonowski, Thomas L. (abs-S97#61) (4) 697

Serumgard, John R., Expanding markets for scrap tire and rubber (abs-S97#12) (4) 685

Seznu, John A., Rheometer testing for thick sections curing (abs-F96#3) (1) 146

Shaw, Montgomery T., see Remediakis, Nikolais G. (1) 71

Sherritt, Jerry M., see Klingensmith, William (abs-F96#56) (1) 161

Shields, Kathleen, Beck, R., Mattison, Scott, and Shook, Amber, The evaluation of release agents using a new test method (abs-S97#91) (4) 703

Shigekuni, M., see Tanahashi, Hideaki (abs-S97#72) (4) 699

Shin, Kyung Chul and White, James L., Simulation of non-Newtonian flow of rubber compounds in a pin barrel screw extruder (2) 264

Shook, Amber, see Shields, Kathleen (abs-S97#91) (4) 703

Singha, N. K., Bhattacharjee, S., and Sivaram, S., Hydrogenation of diene elastomers, their properties and applications: a Critical review (rev) (3) 309

Sircar, A. K., Galaska, M. L., Rodriguez, S., and Chartoff, R. P., Glass transition of elastomers using thermal analysis techniques (abs-F96#35) (1) 155

Sivaram, S., see Singha, N. K. (rev) (3) 309

Smith, B. W. and Parikh, D. R., Composition and structure—Property relationships of formulated meetallocene EPDM elastomers (abs-S97#82) (4) 701

Smith, B. W., see Parikh, D. R. (abs-S97#81) (4) 701

Smith, Charles, see Cable, Clark (abs-F96#8) (1) 148

Smith, Ronald W., The microscopy of catastrophic tire failures (abs-F96#71) (1) 165

Smith, Ronald W., The microscopy of catastrophic tire failures (2) 283

Smith, Ty, see McNabb, Robert W., Jr. (abs-F96#48) (1) 159

Soares, B. G., Gubbels, F., Jérôme, R., Vanlathem, E., and Deltour, R., Electrical conductivity of polystyrene–rubber blends loaded with carbon black (1) 60

Sorathia, U., see Wang, Lance (abs-S97#51) (4) 694

Southwart, D. W., see Murray, G. A. W. (1) 50

Southwart, D. W., see Murray, G. A. W. (1) 38

Stockdale, Michael, Horvath, Jim, and Laurich, Jaclyn, An elastomeric acrylate terpolymer for TPE modification (abs-F96#40) (1) 157

Stone, C., see Menting, K.-H (abs-S97#5) (4) 682

Stotsky, Steven, Innovation in the development and use of recycled rubber (abs-S97#44) (4) 692

Sumner, A. J. M., Kelbch, S., and Verbiest, A., Development in improved performance bromobutyl rubbers (abs-S97#16) (4) 685

Sumner, Anthony, see Musch, Roudiger (abs-F96#6) (1) 147

Tabb, David L., see Kotz, Denise A. (abs-F96#84) (1) 169

Takagishi, Y., see Nakamura, Masao (abs-F96#80) (1) 168

Takallou, H. Barry, Applicability of SuperPave models for design and construction of rubberized asphalt pavements (abs-S97#4) (4) 682

Takeoka, Toru, see Clarson, Stephen T. (abs-F96#90) (1) 171

Takino, H., Nakayama, R., Yamada, Y., Kohjiya, S., and Matsuo, T., Viscoelastic properties of elastomers and tire wet skid resistance (4) 584

Takino, H., Iwama, S., Yamada, Y., and Kohjiya, S., Effect of processing additives on carbon black dispersion and grip property of high-performance tire tread compound (1) 15

Talma, A. G., see Datta, R. N. (1) 129

Tanahashi, Hideaki, Osanai, S., Shigekuni, M., Murakami, K., Ikeda, Y., and Kohjiya, S., Reinforcement of nitrile–butadiene rubber by the sol–gel approach (abs-S97#72) (4) 699

Tanaka, Y., see Kawahara, Seiichi (abs-S97#95) (4) 705

Tanaka, Yasukuki, see Tangpakadee, Jitladda (5) 707

Tangpakadee, Jitladda and Tanaka, Yasukuki, Characterization of sol and gel in *Hevea* natural rubber (5) 707
Teyssié, Ph., see Dubois, Ph. (5) 714
Teyssié, Ph., see Yu, Y. S. (5) 820
Thompson, Marlin F., The legal aspects of drug testing (abs-S97#18) (4) 686
Thorburn, Bruce and Hoshi, Y., An in-line precure process for tire components (abs-S97#89) (4) 703
Thorn-Csányi, Emma and Luginsland, Hans-Detlef, Quantitative determination of the microstructure and composition of crosslinked rubber blends (2) 222
Tipanna, M. and Kale, D. D., Composites of waste ground rubber particles and polyvinyl chloride (5) 815
Tisler, A. L., see McElrath, Ken O. (abs-S97#6) (4) 683
Tricot, C., see Gerspacher, M. (abs-F96#74) (1) 166
Tripathy, D. K., see Manna, Ajoy K. (4) 624
Tripathy, D. K., see Chattaraj, P. P. (1) 90
Tse, Mun F., McElrath, K. O., Wang, H.-C., and Wang, Y. F., Relationships between DeMattia cut growth and physical properties of elastomer compounds (abs-S97#8) (4) 683
Tse, Mun F., McElrath, K. O., and Wang, H. -C, Adhesion phenomena of a new isobutylene-based elastomer (abs-F96#9) (1) 148
Tse, Mun F., Dias, A. J., and Wang, H. -C., Characterization and physical properties of new isobutylene-based graft polymers (abs-F96#24) (1) 152
Tsukruk, Vladimir V., Scanning probe microscopy of polymer surfaces (rev) (3) 430
Turner, R., see Carter, Alan R. (abs-S97#43) (4) 691

Uchiyama, Yoshitaka, see Fujikawa, Tatsuo (4) 572

Valiant, Gordon A., Designing for appropriate athletic shoe outsole traction (abs-S97#44) (4) 692
van Duin, M., see Versloot, P. (1) 106
van Duin, M., see Nieuwenhuizen, P. J. (rev) (3) 368
van Haeren, P. J. C., see Datta, R. N. (1) 129
Van Kirk, Jack L., Caltrans pavement rehabilitation using rubberized asphalt concrete (abs-S97#11) (4) 684
van Wijk, F. G. H., see Datta, R. N. (1) 129
VanderKooi, John, Zinc soaps for improving vulcanizates—11 (abs-F96#2) (1) 146
Vanlathem, E., see Soares, B. G. (1) 60
Vare, A., see Dick, John S. (abs-S97#97) (4) 705
Varkey, J. P., see Nakajima, N. (abs-S97#69) (4) 698
Verbiest, A., see Sumner, A. J. M. (abs-S97#16) (4) 685
Versloot, P., Haasnoot, J. G., Nieuwenhuizen P. J., Reedijk, J., van Duin, M., and Put, J., Sulfur vulcanization of simple model olefins, Part V: Double bond isomerization during accelerated sulfur vulcanization as studied by model olefins (1) 106
Vidal, A., see Mansencal, R. (abs-S97#56) (4) 695
Visintainer, James, see Rinaldi, Peter L. (abs-F96#44) (1) 158
Von Hellene, W., see Dato, John E. (abs-S97#27) (4) 688
von Meerwall, E., see Johnston, S. T. (2) 183

Wagener, K. B., see Marmo, J. C. (rev) (3) 519
Wall, D. W., see Dato, John E. (abs-S97#27) (4) 688
Walsh, Mike and Gill, D., Weigh batching directly from bulk bags (abs-S97#99) (4) 706
Wampler, Thomas, see Phair, Maxine (abs-F96#69) (1) 165
Wang, D. F., see Alleyne, B. A. (abs-F96#82) (1) 168
Wang, H.-C., see McElrath, K. O. (abs-S97#8) (4) 683
Wang, H.-C., see Tse, Mun F. (abs-F96#24) (1) 152
Wang, H.-C., see Tse, Mun F. (abs-S97#7) (4)
Wang, H.-C., see Tse, Mun F. (abs-F96#9) (1) 148
Wang, Hsien C., see Wang, Yu F. (4) 663
Wang, Lance, Ji, Q., Glass, T. E., Muggli, M., Ward, T. C., McGrath, J. E., Sorathia, U., and G. Burns, Polydimethyl siloxane modification of segmented thermoplastic polyurethanes (abs-S97#51) (4) 694
Wang, M.-J., see Patterson, William J. (abs-S97#25) (4) 687

Wang, Meng-Jiao, Mahmud, K., Murphy, L. and Patterson, W., Carbon/silica dual phase filler, a new generation reinforcing agent for rubber: Part I—Characterization of carbon/silica dual phase filler (abs-S97#24) (4) 687
Wang, Y. F., see Tse, Mun F. (abs-S97#8) (4) 683
Wang, Yu F. and Wang, Hsien C., New technique to quantitatively characterize crosslink density in IR and brominated poly(isobutylene-*co*-*p*-methyl styrene) blends (4) 663
Ward, T. C., see Wang, Lance (abs-S97#51) (4) 694
Warley, R. L., see Reed, Thomas (abs-S97#29) (4) 688
Warren, Pat, see Plasczynski, Thad (abs-F96#83) (1) 169
Weber, A. J. M., see Datta, R. N. (1) 129
Weiss, R. A., see Remediakis, Nikolais G. (1) 71
White, James L., see Shin, Kyung Chul (2) 264
White, Jeffery L. and Dias, A. J., Solid state NMR analysis of curing in isobutylene-based elastomers (abs-F96#43) (1) 157
Winston, Jeff and Ames, K., Development of an outsole compound for outdoor footwear (abs-S97#45) (4) 692
Winter, J. M., see Parikh, D. R. (abs-S97#81) (4) 701
Wood, Michael E. and Recchio, Michael J., A comparison of improved HNBR compounds versus other automotive sealing materials (abs-F96#7) (1) 148
Wortman, W. A., see Karples, Richard (abs-S97#80) (4) 701

Xu, W., see Zerda, Waldek (abs-S97#26) (4) 688

Yamada, Y., see Takino, H. (1) 15
Yamada, Y., see Takino, H. (4) 584
Yamaguchi, Y., see Nakajima, N. (abs-F96#65) (1) 163
Yamagushi, Y., see Nakajima, N. (abs-F96#73) (1) 166
Yamazaki, Shunichi, see Fujikawa, Tatsuo (4) 572
Yang, H., see Zerda, Waldek (abs-S97#26) (4) 688
Yang, H. H., see Gerspacher, Michel (abs-S97#35) (4) 689
Yang, H. H., see Gerspacher, M. (abs-F96#74) (1) 166
Yanyo, L. C., see Banks, H. T. (abs-F96#63) (1) 163
Yap, Pedro, U. S. trucking industry trends and the impact on tire design (abs-F96#16) (1) 150
Yatsuyanagi, F. and Kaidu, H., Novel processing agents for silica-filled rubber (abs-S97#9) (4)
Yeoh, O. H., On the Ogden strain-energy function (2) 175
Yoshioka, Akira, see Kobatate, Takushi (5) 839
Young, H. W., see Brignac, Stephen D. (abs-S97#78) (4) 700
Young, Harold W., see Brignac, Stephen D. (abs-F96#22) (1) 151
Yu, Y. S., Dubois, Ph., Jérôme, R., and Teyssié, Ph., Difunctional initiator based on 1,3-diisopropenylbenzene: 7. Mechanical and thermal properties of new butadiene-based thermoplastic elastomers (5) 820
Yu, Y. S., see Dubois, Ph. (5) 714
Yushanov, S. P., Isayev, A. I., and Kim, S. H., Ultrasonic devulcanization of SBR rubber: Experimentation and modeling based on cavitation and percolation theories (abs-F96#59) (1) 162

Zerda, Waldek, Xu, W., Yang, H., and Gerspacher, M., The effects of heating and the cooling rate on the structure of carbon black particles (abs-S97# 026) (4) 688

SUBJECT INDEX*

1,3-bis(citraconimidomethyl)benzene for improving reversion resistance of thick rubber sections (abs-F96#4) (1) 147

1,3-diisopropenylbenzene-based initiator, for making triblock polymers from styrene and butadiene (5) 820

^{13}C NMR analysis, of competitive vulcanization of NR and BR blends, (2) 231

^{13}C NMR and RPA 2000 for studying crosslink structure of NR and SBR (1) 90

Abrasion-resistant outsoles, of polyurethane rubber for athletic shoes (abs-S97#46) (4) 692

ACM (acrylate rubber), and nylon 6, dynamic vulcanization of blends of (5) 798

Adhesion phenomena, of terpolymers of isobutylene, *p*-methylstyrene and *p*-bromomethylstyrene (abs-F96#9) (1) 148

Adhesion, of rubber to brass, studied in squalene mixtures (4) 541

Adhesion, of rubber to metal, using aqueous topcoat (abs-F96#83) (1) 169

Adhesive, for retreads, from one-part heat curable urethane precure (abs-F96#19) (1) 151

Adhesives, rubber-to-metal, state-of-the-art overview (abs-F96#85) (1) 170

Adhesives, water-based, for rubber-to-metal bonding (abs-F96#85) (1) 170

Adhesives, water-reducible, in rubber footwear manufacturing (abs-F96#10) (1) 148

Allophanates, in urethane prepolymers, finding carbonyl spectrum by infrared (abs-F96#32) (1) 154

Antioxidant, for retarding oxidation of thermoplastic elastomers caused by copper ions in water (abs-F96#37) (1) 155

Aryl zinc soap, for increased thermal stability of vulcanizates (abs-F96#2) (1) 146

Asphalt binders, modified with SBR, effect of network formation on rheological propertiess (2) 256

ASTM Committee D11.22, study of Rubber Process Analyzer (abs-S97#97) (4) 705

ASTM D1508-89a, for glass transition of elastomers, correlated with other tests (abs-F96#35) (1) 155

ASTM tests, for recycled rubber (abs-S97#1) (4) 681

Athletic shoes, designing for appropriate outsole traction (abs-S97#44) (4) 692

Athletic shoes, incorporating uniqiuely treated ground scrap from tires (abs-S97#44) (4) 692

Athletic shoes, outsoles for outdoor use (abs-S97#45) (4) 692

Athletic shoes, with polyurethane rubber outsoles (abs-S97#46) (4) 692

Automotive seals and coolant hoses, using sequenced EPDM (abs-S97#78) (4) 700

Automotive use, of TPE, and its effect on growth of the industry (abs-F96#37A) (1) 156

Barrier performance, of NR film, intrinsic flaws which might interfere (abs-S97#96) (4) 705

Benzothiazole sulfenamide, cured with TiBTM, retarding and accelerating influences (abs-F96#89) (1) 171

Bhowmick, Anil K., recipient of George Stafford Whitby Award, 1997 (3) G45

BIIR, improved performance in low rolling resistance tires (abs-S97#16) (4) 685

BIMS (Brominated isobutylene *p*-methylstyrene), for reversion resistant rubber compounds (abs-F96#5) (1) 147

BIMS (brominated isobutylene-*p*-methylstyrene) copolymer, for improved tire sidewalls (abs-S97#6) (4) 683

BIMS [brominated poly(isobutylene-*co*-*p*-methyl styrene)], blend with IR, crosslink density of (4) 663

BIMS, blend with NR for improved heat aging for engine mounts (abs-S97#30) (4) 689

BIMS, isobutylene–*p*-methylstyrene–*p*–bromomethylstyrene terpolymer, adhesion phenomena (abs-F96#9) (1) 148

Birefringence, of BR rubber in shear and compression (abs-S97#68) (4) 698

Blend, of IR–BR, phase structure changes (1) 71

Blends of immiscible elastomers, detailed study using force modulation microscopy (abs-F96#52) (1) 160

Blends, for improved tire sidewalls (abs-S97#6) (4) 683

Blends, of BIMS and NR elastomers, for engine mounts (abs-S97#30) (4) 689

*Prepared by Lois W. Brock.

Blends, of BIMS, BR, and BR–NR, in tire sidewalls, checking results with DeMattia cut growth test (abs-S97#8) (4) 683
Blends, of bromobutyl with other constituents, surface study using valence band XPS spectra (abs-F96#55) (1) 160
Blends, of CR and EPM, for power transmission belt, compatibilization of (abs-F96#81) (1) 168
Blends, of crosslinked rubbers, quantitative determination of microstructure and composition (2) 222
Blends, of elastomers, determining composition by infrared spectroscopy and chromatography (abs-F96#34) (1) 154
Blends, of EPDM–high diene rubber, for improved tire sidewall appearance (abs-S97#7) (4) 683
Blends, of IR and brominated poly(isobutylene-*co*-*p*-methyl styrene) (4) 663
Blends, of NBR–EVA, viscoelastic behavior studied with Kerner models (4) 650
Blends, of NR and BR, competitive vulcanization analyzed by solid state ^{13}C NMR (2) 231
Blends, of NR and HDPE, evolution of the morphology of (abs-F96#39) (1) 156
Blends, of nylon 6 and ACM, measuring graft formation, resulting mechanical and thermal propert (5) 798
Blends, of polystyrene–rubber, carbon black-loaded, electrical conductivity (1) 60
Blends, of rubber and plastics, morphology of (5) 781
Blends, of rubber and plastics, morphology during mixing, pressing, and molding (abs-F96#38) (1) 156
Blends, of rubber, distribution of carbon black in (abs-S97#54) (4) 695
Bonding agents, for brass-plated steel cords (4) 541
Bonding mechanism, studied at rubber–metal interface (abs-F96#86) (1) 170
Book Review, "SPC for Short Run Manufacturing," Leonard A. Doty (5) G87
Book Review: "A Half Century of the Journal of Polymer Science," D. A. Terrill, E. M. Pearce, M. Sawamoto, and E. J. Amis (3) G55
Book review: "Anionic Polymerization: Principles and Practical Applications," H.L. Hsieh/R.P.Quirk (1) G10
Book Review: "Designing with Reinforced Composites: Technology, Performance, Economics," D.V.Rosato (4) G65
Book Review: "Engineering Thermoplastics–Polycarbonates–Polyacetals– Polyesters–Cellulose Esters," Ludwig Bottenbruch (3) G55
Book Review: "Hydrocarbon Resins," G. Collin, R. Mildenberg, and M. Zander (4) G65
Book Review: "Plastics Extrusion Technology," 2nd ed., Friedhelm Hensen, Ed. (4) G66
Book Review: "Polymeric Compatibilizers—Uses and Benefits in Polymer Blends," Sudhin Datta and David J. Lohse (2) G29
Book Review: "Resins for Coatings—Chemistry, Properties and Applications," D. Stoye, W. Freitag (2) G29
Book Review: "Rotational Moulding of Plastics," R. J. Crawford (2) G30
Book Review: "Thermal Characterization of Polymers," 2nd ed., Edith A. Turi (5) G87
BR, crosslinked, birefringence during constant stress creep and stress-free recovery (abs-S97#68) (4) 698
BR, degradation to form useful products, using preformed alkylidene without a Lewis acid catalyst (rev) (3) 519
BR, interface with carbon black, high-resolution NMR (abs-S97#56) (4) 695
BR, mill processability and deformational characteristics (abs-F96#65) (1) 163
BR, unvulcanized, effect of fillers and rubber structure on tensile behavior (abs-F96#73) (1) 166
Branching and crosslinks, in *Hevea* NR (5) 707
British Portable Skid Tester, used to evaluate wet skid resistance of 18 polymers (4) 584
Bromobutyl binary blends, surfaces studied through valence band XPS spectra (abs-F96#55) (1) 160
Business and economic information, for the rubber industry (rev) (3) 530
Butadiene, polymerized with Ti-, Nd-, and Co-, compared as to mill processability (abs-F96#65) (1) 163

Calenders, upgrading for improved performance (abs-F96#50) (1) 159
Caltrans pavement rehabilitation, using rubberized asphalt (abs-S97#11) (4) 684
Carbon black aggregates, analyzed by transmission electron microscopy/automated image analysis (abs-F96#72) (1) 165
Carbon black aggregates, anisometry measurements in (5) 727
Carbon black and silica, different effects on compatibility of NR and SBR (abs-F96#80) (1) 168
Carbon black dispersion, estimating by DFCS test (1) 50

Carbon black dispersion, in NR and SBR, testing by DFCS method (1) 38
Carbon black dispersion, in tire tread compounds, effect of processing additives on grip properties (1) 15
Carbon black dispersion, measured by reflectometry (abs-S97#35) (4) 689
Carbon black, composites with elastomers, morphology studied with small-angle neutron scattering (abs-S97#55) (4) 695
Carbon black, distribution in rubber blends (abs-S97#54) (4) 695
Carbon black, effect of grade on network structure in NR vulcanizates (4) 671
Carbon black, effect of grade on network structure of NR vulcanizates (abs-F96#42) (1) 157
Carbon black, effect of heating and cooling rate on structure of particles (abs-S97#26) (4) 688
Carbon black, effect on vibration isolation of various grades (abs-S97#29) (4) 688
Carbon black, explanation of fracture toughness and resistance to crack growth (abs-S97#34) (4) 689
Carbon black, interface with BR determined by high-resolution NMR (abs-S97#56) (4) 695
Carbon black, intermediate super abrasion furnace, reaction with epoxidized NR (4) 624
Carbon black, inversion type, for "green tire" type treads (abs-S97#5) (4) 682
Carbon black, specific types for various parts of truck tires to improve performance (abs-F96#18) (1) 151
Carbon black-filled elastomers, Monte Carlo simulation for evaluating strain amplification (1) 25
Carbon black–elastomer composites, studied with scanning probe microscopy (abs-F96#54) (1) 160
Carbon blacks, commercial and pyrolytic, surface energy measured by inverse gas chromatography (5) 759
Carbon blacks, inversion, with greater surface roughness, polymer adsorption studied (abs-S97#22) (4) 686
Carbon–silica blends, in tire tread compounds (abs-S97#37) (4) 690
Carbon–silica, dual phase filler for rubber (abs-S97#24) (4) 687
Carbon–silica, dual phase reinforcing filler for rubber (abs-S97#25) (4) 687
Carbonyl stretch bands, in polyurethanes, studied by infrared (abs-F96#33) (1) 154
Carbonyl stretch region, of TDI polyurethanes, studied by infrared (abs-F96#32) (1) 154
Catalysts, for hydrogenation of diene elastomers (rev) (3) 309
Cavitation and percolation theories, in modeling ultrasonic devulcanization of SBR (abs-F96#59) (1) 162
Ceramic gels, rubber-modified, morphological mechanisms for the toughening process (abs-S97#87) (4) 702
Chemical inventories, decreasing costs through information on (abs-S97#32) (4) 689
Chemlok® 8210, aqueous topcoat for rubber-to-metal adhesion (abs-F96#83) (1) 169
CIIR, modified by living polydiene grafts (abs-F96#20) (1) 151
Citraconimide-squalene adduct, as anti-reversion agent for diene rubbers (1) 129
Clay fillers, surface-modified, for replacement of carbon black and silica in elastomers (abs-S97#39) (4) 690
Clean Washington Center, methods for recycling and finding markets for scrap tires (abs-S97#10) (4) 684
Cluster–cluster aggregation model, for understanding effect of filler networking in elastomers (2) 243
Contact pressures, on tire tread surfaces, for estimating wear (4) 572
Conveyor rollers, rubber-covered, stresses, slip and abrasion (abs-F96#66) (1) 164
Correlation, between press cures and rheometer tests, for thick sections (abs-F96#3) (1) 146
Coupling agent, in compounds using carbon–silica dual phase filler (abs-S97#24) (4) 687
Coupling agents, for carbon–silica blends in tire tread compounds (abs-S97#37) (4) 690
Coupling agents, in compounds using carbon–silica dual phase filler (abs-S97#25) (4) 687
CR, MgO-free crosslinking system for better heat resistance (abs-F96#6) (1) 147
CR–EPM, for power transmission belt, compatibilization with EPDM–*g*-PMMA and E–MA–AA (abs-F96#81) (1) 168
Crack analysis, of unfilled NR, using infrared microspectroscopy (2) 271
Crosslink density, in blends of IR and brominated poly(isobutylene-*co*-*p*-methyl styrene) (4) 663
Crosslink distribution, in NR latexes related to pre- and post vulcanization with S or peroxide (4) 549
Crosslink mapping, in polymer blends, using force modulation microscopy (abs-F96#52) (1) 160
Crosslink structure, of NR and SBR, effect of *trans*-polyoctenylene, studied by ^{13}C NMR/RPA 2000 (1) 90
Crosslink system, stable, with reactive plasticizer, for improving wear resistance of truck tre (abs-F96#17) (1) 150
Crosslinking efficiency, in polyfunctional monomer–fluorocarbon rubber matrix (abs-S97#90) (4) 703
Crosslinking, of virgin, devulcanized and revulcanized SBR, differences in (1) 120
Crumb rubber, from recycled tires (abs-S97#2) (4) 681

Crystallite size and surface roughness, of carbon black as dependant on heating–cooling rate (abs-S97#26) (4) 688
Crystallization, of *cis*-1,4-polyisoprene, effect of fatty acids (abs-S97#95) (4) 705
Crystallization, strain-induced, in stereoregular poly[methyl(3,3,3-trifluoropropyl)siloxane] (abs-S97#50) (4) 694
Cure profile measurement, of liquid elastomers (abs-F96#91) (1) 171
Curing, of isobutylene-based elasttomers, studied by solid state NMR (abs-F96#43) (1) 157
Curve fitting, constrained, related to nonlinear regression analysis (2) 175
Cut growth, relation to physical properties of model elastomers (abs-S97#8) (4) 683
Cyclohexane dimethanol diacrylate, curing co-agent for improved EPDM properties (abs-F96#79) (1) 167
Dark Field Cut Surface (DFCS) test, for carbon black dispersion (1) 38

Dean, J. Marshall, III, Rubber Division Chairman, 1997 (1) G1
Degradation, of HSBR, at high temperature under aerobic and anaerobic conditions (5) 855
DeMattia cut growth, relation to physical properties of molded elastomer compounds (abs-S97#8) (4) 683
Depolymerization, of unsaturated polymers to give useful products (rev) (3) 519
Devulcanization of SBR, by ultrasound, molecular mobility of gel and sol (2) 183
Devulcanization, of SBR, effect of crosslink type (abs-F96#60) (1) 162
Devulcanization, of sulfur-cured scrap rubber (abs-F96#58) (1) 162
Devulcanization, ultrasonic, of SBR, sol and gel mobiity during (abs-F96#61) (1) 162
Devulcanization, ultrasonic, of SBR, modeling based on cavitation and percolation theories (abs-F96#59) (1) 162
Devulcanized SBR, model to explain increased mechanical strength of revulcanized material (abs-F96#62) (1) 163
DFCS (Dark Field Cut Surface) test, for estimating dispersion of carbon black in rubber (1) 50
Diene elastomers, hydrogenation, properties and applications (rev) (3) 309
Diene rubbers, biscitraconimides as anti-reversion agents for (1) 129
Diene rubbers, pyrolysis, field ionization and mass spectrometry for recognizing long sequences (abs-F96#46) (1) 158
Dimethyl tin polybutadiene, structure at branch points determined by three dimensional NMR (abs-F96#44) (1) 158
Dipped articles, latex, reinforced with fumed silica for improved tear strength (abs-F96#78) (1) 167
Dithiocarbamate-accelerated sulfur vulcanization of rubber (rev) (3) 368
Drug testing, legal aspects (abs-S97#18) (4) 686
Durability, of polymeric materials undergoing weight loss, determining through kinetic mapping (abs-F96#36) (1) 155

ElastoFlo™ granular EPDM, for reduced material handling cost (abs-F96#82) (1) 168
Electrical conductivity, of carbon black-loaded polystyrene–rubber blends (1) 60
Electron beam induced changes, in structure of fluoroelastomers with polyfunctional monomers (abs-S97#90) (4) 703
Electron microscopy, technique for dry rubber applied to NR latex (4) 549
Ellul, Maria D., recipient of Sparks–Thomas Award, 1997 (3) G49
ENGAGE™ polyolefin elastomers, new peroxide crosslinking agents for (abs-F96#88) (1) 170
Engine mounts, elastomers for (abs-S97#27) (4) 688
Engine mounts, from blends of BIMS and NR elastomers (abs-S97#30) (4) 689
EP(D)M products, produced by metallocene and vanadium single-site technologies (abs-S97#80) (4) 701
EPDM elastomers, made using single site constrained geometry metallocene catalyst (abs-S97#81) (4) 701
EPDM rubber, maleated, sulfonated to give ionomer (abs-S97#93) (4) 704
EPDM, blends with high diene rubber for improved appearance of tire sidewalls (abs-S97#7) (4) 683
EPDM, cyclohexane dimethanol diacrylate, curing co-agent for improved properties of (abs-F96#79) (1) 167
EPDM, effects of compositional variations on compounded properties (abs-F96#27) (1) 153
EPDM, high green strength with improved low temperature properties (abs-S97#78) (4) 700
EPDM, made in gas-phase, to produce granules for continuous mixing (abs-S97#79) (4) 701
EPDM, maleated, ionomer and blend with maleated PE ionomer (abs-S97#94) (4) 704

EPDM, sequenced, made with vanadium based Ziegler–Natta catalysts (abs-S97#78) (4) 700
EPDM, using constrained geometry metallocene catalyst, properties (abs-S97#82) (4) 701
EPDM–*g*-PMMA, as compatibilizer for blends of CR and EPM (abs-F96#81) (1) 168
Epichlorohydrin, curing with nonlead system for use in fuel hose (abs-F96#8) (1) 148
EPM, long chain branching, effects on TPO properties in mechanical blends (abs-F96#22) (1) 151
Epoxidized NR, reaction with surface oxidized carbon black (4) 624
Ethylene–methyl acrylate–acrylic acid, as compatibilizer for CR and EPM (abs-F96#81) (1) 168
Extruder, pin barrel screw, for simulating non-Newtonian flow of rubber compounds (2) 264
Extrusion products, from non-hygroscopic, UV-resistant thermoplastic vulcanizates (abs-F96#14) (1) 150
Extrusion, of small rubber pipes and tubes (abs-F96#51) (1) 160
Extrusion, of TPE profiles, using water as physical blowing agent (abs-F96#41) (1) 157

Fatigue resistant silicone elastomers, using metal oxide fillers (abs-S97#84) (4) 701
Fatty acids, effect on crystallization of *cis*-1,4-polyisoprene (abs-S97#95) (4) 705
Filled rubber compounds, modeling viscoelastic properties of (abs-F96#74) (1) 166
Filled rubbers, correlation of wet grip properties with dynamic glass transition temperatures (abs-S97#23) (4) 687
Filler networking, in elastomers, effect on properties and structure (2) 243
Filler reinforcing systems, for low rolling resistance of tread compounds (abs-S97#13) (4) 685
Filler surfaces, disordered, characterizing polymer adsorption on by ^{1}H NMR relaxation (5) 747
Filler, effect on compatibility of NR (abs-F96#80) (1) 168
Fillers, effect on tensile behavior of unvulcanized BR (abs-F96#73) (1) 166
Flaws in NR, intrinsic (abs-S97#96) (4) 705
Flow, non-Newtonian, of rubber compounds in a pin barrel screw extruder (2) 264
Fluorocarbon elastomers, structural modification by electron beam with polyfunctional monomer (abs-S97#90) (4) 703
Fluoroelastomers, crosslinking with HP peroxides (abs-S97#92) (4) 704
Fluoroelastomers, peroxide-curable, with improved properties and processing (abs-F96#84) (1) 169
Fluorosilicone elastomers, curing with platinum (abs-S97#65) (4) 698
Footwear, rubber, water-reducible adhesives for (abs-F96#10) (1) 148
Footwear, using soling materials surface-modified with SBR (abs-S97#41) (4) 691
Force modulation microscopy, for detailed study of industrial polymer blends (abs-F96#52) (1) 160
Formula reconstruction, through computer analysis of cured compounds (abs-F96#68) (1) 164
Fractal structure, of reinforcing unit cells for elastomers (2) 243
Friction, of sliding rubbers on rough and fractal surfaces (1) 001
Frictional heating, of vulcanized rubber surfaces, and rubber melting processes (4) 595
Fuel hose, polyepichlorohydrin with nonlead cure system for (abs-F96#8) (1) 148

Gamma-mercaptopropyltrimethoxysilane, in NBR vulcanizates for higher amounts of *in situ* generated silica (abs-S97#72) (4) 699
Gas chromatography, for study of pyrograms of polymer fragments (abs-F96#69) (1) 165
Gas chromatography, inverse, for measuring surface energy of commercial and pyrolytic acrbon bl (5) 759
Glass transition, of elastomers, using thermal analysis techniques (abs-F96#35) (1) 155
Goniometer angles, multiple, used for imaging carbon black aggregates (5) 727
Goodyear Medal Address, 1997 (rev) (3) 295
Graft copolymers, of isobutylene–*p*-methylstyrene–*p*-bromomethylstyrene with polystyrene or other (abs-F96#24) (1) 152
Granular form, of EPDM, for reduced handling cost (abs-F96#82) (1) 168
Grinding wheel morphology, as it affects wear rate and fatigue crack growth rate (abs-F96#66A) (1) 164
Grip property, of tire tread, as affected by dispersion of carbon black during processing (1) 15
Ground scrap, improving for use in tires and mechanical goods through "Tirecycle" (abs-F96#56) (1) 161
Guayule, strain-crystallization determined by several methods (2) 202
Guidelines, for serviceability limits of NBR and XNBR at various temperatures (abs-S97#59) (4) 696

Halasa, Adel G., recipient of Charles Goodyear Medal, 1997—biog. (3) G51
Halogen-containing polymers, heat-resistant curing systems for (abs-F96#6) (1) 147
Hardware, for NMR imaging of elastomers (rev) (3) 468

Health and safety management (abs-S97#31) (4) 689
Heat release, of polyether urethanes, reduced by modifying with a polydimethyl siloxane (abs-S97#51) (4) 694
Hevea NR, characterization of sol and gel in (5) 707
Hevea rubber, strain-crystallization determined by several methods (2) 202
Hexamethylene-1,6-bis-thiosulfate disodium salt dihydrate, for improved reversion resistance (abs-F96#4) (1) 147
HIIR (halobutyl rubber), MgO-free crosslinking system for better heat resistance (abs-F96#6) (1) 147
HNBR compounds, for automotive sealing material (abs-F96#7) (1) 148
HNBR, improvement in low temperature flexibility, by use of a third monomer or adding a mercapt (5) 839
HP (high performance) peroxides, polyethylenes, silicone, and fluoroelastomers (abs-S97#92) (4) 704
HSBR (Hydrogenated SBR), degradation at high temperature under aerobic and anaerobic conditions (5) 855
Humidity, effect on prevulcanized NR latex film (4) 560
Hydrogenated elastomers, properties and applications (rev) (3) 309
Hysteresis friction, on rough and fractal surfaces, model (1) 1
Hysteresis, technique for modeling using dynamic partial differential equations (abs-F96#63) (1) 163

Infrared spectroscopy (FTIR), with chromatography, for determining compositional heterogeneity of elastomer systems (abs-F96#34) (1) 154
Injection molding, of polyurethane mixtures, economical process design for (abs-S97#73) (4) 699
Inner liners, BIIR, for improved performance tires (abs-S97#16) (4) 685
Instructions to contributors to RUBBER CHEM. TECHNOL. (3) G43
Interfacial tension effects on morphology of rubber–plastic blends (abs-F96#38) (1) 156
International Rubber Science Hall of Fame, 1996, Gerard Kraus, biog. (2) G32
Invention, of styrenic thermoplastic elastomers (abs-F96#12) (1) 149
Ionomer, by sulfonation of maleated EPDM rubber (abs-S97#93) (4) 704
Ionomer, from maleated high density PE and blend with ionomeric maleated EPDM (abs-S97#94) (4) 704
IR, blend with poly(isobutylene-*co*-*p*-methyl styrene), crosslink density determined quantitatively (4) 663
IR, strain-crystallization onset in naturally occurring (2) 202
Isobutylene elastomers, determining processability through Mooney relaxation parameter (abs-F96#64) (1) 163
Isobutylene terpolymer, with *p*-methylstyrene and *p*-bromomethylstyrene (BIMS), adhesion phenomen (abs-F96#9) (1) 148
Isobutylene-based elastomers, curing studied with solid state NMR analysis (abs-F96#43) (1) 157
Isobutylene-based graft copolymers, characterization and physical properties of (abs-F96#24) (1) 152

Kerner model, for studying viscoelastic properties of NBR–EVA blends (4) 650
Kinetic map, for accessing long-term durability of polymers and ranking them (abs-F96#36) (1) 155
Kraus, Gerard, International Rubber Science Hall of Fame Inductee, 1996, biog. (2) G32

Leaching and humidity, effect on prevulcanized NR latex films (4) 560
Leaching and humidity, effect on prevulcanized NR latex films (abs-F96#11) (1) 149
Liquid Polymer Dam, adaptor for moving die rheometer to accomodate liquid elastomers (abs-F96#91) (1) 171
Lithium-polydiene polymers, grafted onto chlorobutyl rubber for polymer with good dispersion (abs-F96#20) (1) 151
Livigni, Russell A., recipient of Melvin Mooney Distinguished Technology Award, 1997 (3) G47
Low rolling resistance tread, effect of polysulfidic silane sulfur content on properties (abs-F96#75) (1) 166
Low temperature flexibility, of HNBR, improved by adding a third monomer or using a mercaptan (5) 839

Material handling cost, reduced for EPDM, by use of granular form (abs-F96#82) (1) 168
Mathematical model, for kinetics of morphology evolution in blends of rubber–HDPE (abs-F96#39) (1) 156
Mechanical Energy Resolver, instrument for reducing test time from 6 weeks to 60 hours (abs-S97#84) (4) 701

Melting, of vulcanized rubber under frictional heating (4) 595
Metal oxides, for fatigue resistant silicone elastomers (abs-S97#84) (4) 701
Metallocene catalyst, single site constrained geometry, for making EPDM (abs-S97#81) (4) 701
Metallocene catalyst, single-site technology, for production of EP(D)M (abs-S97#80) (4) 701
Metallocene-based poly(ethylene) copolymers, peroxide crosslinking formulations for (abs-F96#88) (1) 170
Metathetical degradation, of BR to form useful products (rev) (3) 519
Methacrylate end blocks, in SBS block copolymers, relation to changes in tensile properties (5) 714
MgO-free curing systems, for halobutyl rubbers to improve heat resistance (abs-F96#6) (1) 147
Microgel polymeric fillers, for reinforcing polydiene elastomers, aggregated clusters of (abs-S97#53) (4) 695
Microscopy, force modulation, for studying blends of immiscible elastomers (abs-F96#52) (1) 160
Microscopy, of catastrophic tire failures (abs-F96#71) (1) 165
Microscopy, of catastrophic tire failures (2) 283
Microscopy, scanning probe, of carbon black–elastomer composites (abs-F96#54) (1) 160
Microspectroscopy, infrared, for crack analysis of unfilled NR (2) 271
Mixers, intensive, preventative maintenance program (abs-F96#48) (1) 159
Mixing room automation, with PK 500 (abs-F96#47) (1) 158
Mixing, continuous, of granular EPDM (abs-S97#79) (4) 701
Model olefins, double bond isomerization during sulfur vulcanization (1) 106
Model, for hysteresis friction of sliding rubber on rough surfaces at molecular level (1) 1
Model, to explain increase of mechanical strength of revulcanized rubber (abs-F96#62) (1) 163
Modeling, the dynamic mechanical behavior of elastomers (abs-F96#63) (1) 163
Modeling, viscoelastic properties of filled rubber compounds (abs-F96#74) (1) 166
Monte Carlo simulation, of ideal compounds, for evaluating strain amplification concepts (1) 25
Mooney relaxation, for processability of isobutylene elastomers (abs-F96#64) (1) 163
Mooney–Rivlin plots, of leached NR latex and relation to cross link density (4) 560
Morphology, of rubber–plastic blends during mixing and molding (abs-F96#38) (1) 156
Morphology, of unvulcanized blends of NR–HDPE, evolution of the method (abs-F96#39) (1) 156
Moving die rheometer, using "Liquid Polymer Dam", for testing cure of liquid elastomers (abs-F96#91) (1) 171

NBR, factors determining direct adhesion to nickel-P plated metals (2) 211
NBR, for roll applications (abs-S97#61) (4) 696
NBR, *in situ* silica reinforcement, by sol–gel reaction of TEOs using ethylenediamine (abs-S97#72) (4) 699
NBR, influence of temperature on properties (abs-S97#59) (4) 696
Network formation, effect on rheological properties of SBR modified asphalt binders (2) 256
Network structures, of NR vulcanizates, as influenced by grade of carbon black (abs-F96#42) (1) 157
Nickel-P plated metals, direct adhesion to NBR depending on type of vulcanization (2) 211
Nitrogen–hydrogen bonds, non-hydrogen bonded, in polyurethanes, studied by infrared (abs-F96#33) (1) 154
NMR imaging. of elastomers (rev) (3) 468
NMR spectroscopic assigments, of citraconimide-squalene adduct anti-reversion agents (1) 129
NMR studies, solid state C-13, of NR vulcanizates, with different grades of carbon black (abs-F96#42) (1) 157
NMR, C-13 solid state, in study of NR vulcanizates with various grades of carbon black (4) 671
NMR, high-resolution, for determining BR–carbon black interface (abs-S97#56) (4) 695
NMR, of tissues exposed to polysiloxane gels (abs-S97#88) (4) 702
NMR, solid state, for analysis of curing in isobutylene-based elastomers (abs-F96#43) (1) 157
NMR, three-dimensional, for characterizing polymer structure and stereochemistry (abs-F96#44) (1) 158
NMR-MOUSE for noninvasive investigation of tires, belts, pavements (rev) (3) 468
NR latex films, effect of leaching and humidity on prevulcanized (abs-F96#11) (1) 149
NR latex films, microstructure studied by swelling with styrene and staining with osmium tetroxide (4) 549
NR latex films, prevulcanized, effect of leaching and humidity (4) 560
NR vulcanizates, effect of carbon black grade on network structure (4) 671

NR, effect of filler on compatibility with SBR (abs-F96#80) (1) 168
NR, intrinsic flaw sizes determined for GR, DPNR, and SMR-10 (abs-S97#96) (4) 705
NR, origin of characteristic properties (abs-S97#95) (4) 705
NR, relation of carbon black to critical crack opening and fracture toughness (abs-S97#34) (4) 689
NR, unfilled, crack analysis using infrared microspectroscopy (2) 271
NR–HDPE blends, unvulcanized, evolution of morphology in (abs-F96#39) (1) 156
Nylon 6 and ACM, mixing torque as indication of interfacial reaction (5) 798
Nylon 6–ACM blends, mechanical and dynamic mechanical thermal properties (5) 798

Ogden model, based on significance of various coefficients and expected behavior of rubbery material (2) 175
Ogden strain-energy function, in finite element analysis, relation to regression analysis (2) 175
Organometallic transformations, in composites using sol–gel process/microemulsion polymerization (abs-F96#25) (1) 152
Ormosils, silicone rubbers with high porosities (abs-S97#85) (4) 702
OSHA procedures: Non-enforcemeent partnerships (abs-S97#20) (4) 686
OSHA voluntary protection programs (abs-S97#19) (4) 686
Outsole material, with wet traction and abrasion resistance, for athletic shoes (abs-S97#45) (4) 692

Pattern movement, in wear tests, as it affects wear rate and fatigue crack growth (abs-F96#66A) (1) 164
Pavement, asphalt/concrete with recycled rubber, as developed by Caltrans (abs-S97#11) (4) 684
Pavement, rubberized asphalt, SuperPave models for (abs-S97#4) (4) 682
PE, chlorinated, crosslinking with HP peroxides (abs-S97#92) (4) 704
PE, co- and terpolymers, crosslinking with HP peroxides (abs-S97#92) (4) 704
PE, high density malleated, ionomer (abs-S97#94) (4) 704
Percolation and cavitation theories, in modeling ultrasonic devulcanization of SBR (abs-F96#59) (1) 162
Percolation theory, in understanding effect of filler networking on elastomer structure (2) 243
Peroxide crosslinking agents, for metallocene poly(ethylene) copolymers (abs-F96#88) (1) 170
Phase inversion, in rubber–plastic blends, related to interfacial tension and rheology (5) 781
Phase structure changes, in sheared blend of IR–BR (1) 71
Pin barrel extruder, for modeling non-Newtonian flow of rubber compounds (2) 264
PK500, mixing room automation equipment (abs-F96#47) (1) 158
Plasticizers, miscible ester, for improving low temperature performance of thermoplastic elastomers (abs-F96#29) (1) 153
Platinum catalyst, for fluorosilicone elastomers (abs-S97#65) (4) 698
Platinum catalyst, microencapsulated, for one part hydrosilylation cure of silicone rubber (abs-S97#64) (4) 697
Plumbing applications, of thermoplastic elastomers, protecting against copper ions (abs-F96#37) (1) 155
Polar solvents, effect on polyethylacrylates dynamic moduli (abs-S97#69) (4) 698
Polycarboxysilane composites, with controlled morphology, from sol–gel/microemulsion techniques (abs-F96#25) (1) 152
Polydiene elastomers, reinforcement by kinetically aggregated microgels (abs-S97#53) (4) 695
Polydiene polymers, living, grafted onto CIIR (abs-F96#20) (1) 151
Polydimethyl siloxane, for modifying polyether urethanes to give reduced heat release rate (abs-S97#51) (4) 694
Polydimethylsiloxane, α,ω-dihydroxy terminated, dialkyl tin carboxylate catalysts for (abs-F96#90) (1) 171
Polyether urethanes, modified with polydimethyl siloxanes, for product with lower heat release (abs-S97#51) (4) 694
Polyethylacrylate, effect of polar solvents on dynamic moduli of concentrated solutions of (abs-S97#69) (4) 698
Polyfunctional (acrylate) monomers, with electron beam, changing structure of fluoroelastomers (abs-S97#90) (4) 703
Polymer adsorption, on disordered filler surfaces, determined by transversal ^{1}H NMR relaxation (5) 747
Polymer adsorption, on distressed filler surfaces, by transversal ^{1}H NMR relaxation (abs-S97#22) (4) 686
Polynorbornene, thermal degradation and study by pyrolysis and field ionization. (abs-F96#46) (1) 158
trans-Polyoctylene, effect on crosslink structure of NR and SBR (1) 90

Polysiloxane elastomers, an overview (abs-S97#48) (4) 693
Polysiloxane gels, for breast implants, study of migration and chemical modification in the bod (abs-S97#88) (4) 702
Polysiloxane, with ethoxysilyl moiety, for improving properties of silica- filled tread stock (abs-S97#9) (4)
Polystyrene, blended with various rubbers, effect of carbon black localization on conductivity (1) 60
Polysulfide bonds, in SBR during ultrasound devucanization (4) 641
Polysulfidic silane sulfur content, effect on low rolling resistance silica-filled tread compound (abs-F96#75) (1) 166
Polyurethane mixtures, millable, practical compounding of (abs-S97#73) (4) 699
Polyurethane rubber, as abrasion resistant outsoles in athletic shoes (abs-S97#46) (4) 692
Polyurethane rubber, cure systems for different roll appications in (abs-S97#58) (4) 696
Polyurethane rubbers, vulcanized *via* dimerized TDI, for roll coverings (abs-S97#77) (4) 700
Polyurethanes, non-hydrogen-bonded nitrogen–hydrogen bond and carbonyl stretch bands in (abs-F96#33) (1) 154
Polyurethanes, TDI, deconvolution of the carbonyl stretch region (abs-F96#32) (1) 154
Poly[methyl(3,3,3-trifluoropropyl)siloxane], stereoregular, strain induced crystallization in (5) 769
Precure process, in-line, for tire components (abs-S97#89) (4) 703
Processability, of BR and deformational characteristics (abs-F96#65) (1) 163
Processability, of isobutylene elastomers, by Mooney relaxation (abs-F96#64) (1) 163
Processing, to achieve durable rubber–metal bond (abs-F96#86) (1) 170
Protective devices, in safety shoes, need for polymeric material in (abs-S97#47) (4) 693
PVC, impact properties improved by incorporation of ground scrap NBR (5) 815
Pyrograms, of polymer fragments, for analysis by gas chromatography (abs-F96#69) (1) 165
Pyrolysis–gas chromatography, for analysis of rubber materials (abs-F96#69) (1) 165
Pyrolysis–field ionization–mass spectrometry of diene rubbers and polynorbornene (abs-F96#46) (1) 158

Quality assurance, of NR, using rubber process analyzer (abs-S97#97) (4) 705

Race tire treads, behavior at conditions of competition on dry pavements (4) 595
Reclaimed SBR, with superior mechanical properties (abs-F96#62) (1) 163
Recycled rubber, ASTM tests for (abs-S97#1) (4) 681
Recycled rubber, from tire scraap (abs-S97#2) (4) 681
Recycled rubber, in asphalt/concrete pavement as developed by Caltrans (abs-S97#11) (4) 684
Recycled rubber, markets (abs-S97#12) (4) 685
Recycled rubber, uniquely treated for use in athletic shoes (abs-S97#44) (4) 692
Recycling polymers, use of titanium and zirconium esters as *in situ* catalysts (abs-F96#57) (1) 161
Recycling tires, evolving technologies for (abs-S97#3) (4) 682
Recycling, of rubber and plastics contrasted (abs-F96#31) (1) 154
Reflectometry, for measuring carbon black filler dispersion (abs-S97#35) (4) 689
Reinforcement, of latex dipped articles, with dispersed silica for improved tear strength (abs-F96#78) (1) 167
Reinforcement, of polydiene elastomers, by chemically aggregated microgels (abs-S97#53) (4) 695
Reinforcing properties, of carbon black for ENR, enhanced by surface oxygen on the black (4) 624
Release agents, PTFE, evaluated with new test method (abs-S97#91) (4) 703
Retarder/kickers, from TiBTM with benzothiazole sulfenamide (4) 634
Retread adhesive, from one-part heat curable urethane precure (abs-F96#19) (1) 151
Reversion resistance, of thick rubber sections, using citraconimides and bis-thiosulfate disodium compound (abs-F96#4) (1) 147
Reversion resistant cures, for rubbers based on BIMS (brominated isobutylene *p*-methylstyrene) (abs-F96#5) (1) 147
Reversion, laboratory testing of tire compounds for resistance to (abs-F96#1) (1) 146
Rheological effects, on phase morphology of rubber–plastic blends during mixing or molding (abs-F96#38) (1) 156
Rheometer testing, for curing of thick sections (abs-F96#3) (1) 146
Roll applications, using NBR (abs-S97#61) (4) 696
Roll applications, using polyurethane rubber (abs-S97#58) (4) 696
Roll coverings, of polyurethane rubbers vulcanized *via* dimerized TDI (abs-S97#77) (4) 700

Roll coverings, past, present, and future (abs-S97#57) (4) 696
Roll coverings, with outstanding hardness and tear-resistance, from polyurethane rubbers (abs-S97#77) (4) 700
Roller industry, overview (abs-S97#57) (4) 696
Rollers, offset, technology requirements for (abs-S97#75) (4) 700
Rollers, silicone elastomers for (abs-S97#74) (4) 700
Rolling resistance and wet traction of tires, improved with TESPT and silica, mechanism studied (4) 608
Rolling resistance, improved in treads, through use of silica–silane reaction system (abs-F96#76) (1) 167
Rolling resistance, of tire treads, compounding for (abs-S97#13) (4) 685
Rolling resistance, of tire tread, enhanced by precipitated silica (abs-S97#40) (4) 691
Rolling resistance, of tires, reducing energy loss to improve (abs-S97#14) (4) 685
Rolling resistance, of tires, reducing by use of carbon–silica dual phase filler (abs-S97#25) (4) 687
Rolling resistance, of truck tire treads, loaded with highly-dispersible silica fillers (abs-S97#15) (4) 685
RUBBER CHEM. TECHNOL., Information in (previous) issues (4) G58
Rubber Division, ACS, Best Paper Awards, Spring 1996 (1) G6
Rubber Division, ACS, Best Paper Awards, Fall 1996 (4) G61
Rubber Division, ACS, Charles Goodyear Medalist, 1997, Adel F. Halasa (3) G51
Rubber Division, ACS, George Stafford Whitby Award, 1997, to Anil K. Bhowmick (3) G45
Rubber Division, ACS, Library and Information Services (1) G7
Rubber Division, ACS, Melvin Mooney Distinguished Technology Award, 1997, to Russell A. Livigni (3) G47
Rubber Division, ACS, Officers and Committees (1) G1
Rubber Division, ACS, Policy on technical papers presented at Rubber Division meetings (4) G64
Rubber Division, ACS, Policy on papers presented at Rubber Division meetings (1) G9
Rubber Division, ACS, Program for 1997 Spring Meeting (2) G14
Rubber Division, ACS, Program for 1997 Fall Meeting (5) G70
Rubber Division, ACS, Sparks–Thomas Award, 1997, to Maria D. Ellul (3) G49
Rubber industry, business information support for (rev) (3) 530
Rubber Process Analyzer, for quality assurance of NR (abs-S97#97) (4) 705
Rubber scrap, Clean Washington Center's method of recycling (abs-S97#10) (4) 684
Rubber–glass transition, in filled rubbers as related to wet skid resistance (abs-S97#23) (4) 687
Rubber–metal bond, engineering for its strength and durability (abs-F96#86) (1) 170
Rubber–metal bonding, influence of sulfide formation during cure (abs-F96#87) (1) 170
Rubber-to-metal adhesion, using aqueous topcoat (abs-F96#83) (1) 169
Rubber-to-metal adhesives, water-based (abs-F96#85) (1) 170
Rubber–plastic blends, with matching polarities and viscosities, for finer states of dispersion (5) 781
Rubberized asphalt, SuperPave models for design and construction of pavemeents (abs-S97#4) (4) 682
Rubberlike elasticity, in SBR and NR, Valanis–Landel form of stored energy function for (abs-S97#67) (4) 698

Safety data sheets, management of (abs-S97#32) (4) 689
Safety footwear, need for deveopment of polymeric protective devices for (abs-S97#47) (4) 693
SBR elastomers, ultrasonically devulcanized, revulcanization of (1) 120
SBR, devulcanization, effect of crosslink type (abs-F96#60) (1) 162
SBR, effect of crosslink type on ultrasound devulcanization (4) 641
SBR, for modifying surfaces of soling materials to give enhanced performance (abs-S97#41) (4) 691
SBR, reclaimed, superior mechanical properties with bimodal network (2) 194
SBR, sol and gel in polymer devulcanized by ultrasound (2) 183
SBR-modified asphalt, effect of network formation on rheological properties (2) 256
SBR–BR model tread compound, effect of precipitated silica on viscoelastic properties (abs-S97#40) (4) 691
SBS block copolymers, thermoplastic elastomers for shoe soling (abs-S97#43) (4) 691
SBS thermoplastic elastomer, end-capped with poly(*t*-butylmethacrylate) and poly(methacrylic acid) (5) 714
SBS thermoplastic elastomers, end-capped with syndiotactic poly(methyl methacrylate) sequences (5) 820
Scanning probe microscopy, of polymer surfaces (rev) (3) 430
Scrap NBR, ground, for improving impact properties of PVC (5) 815

Scrap rubber, new methods for devulcanizing sufur-cured (abs-F96#58) (1) 162
Scrap Tire Management Council, report for markets at end of 1996 (abs-S97#12) (4) 685
Scrap tires, Clean Washington Center's practice for recycling (abs-S97#10) (4) 684
Scrap tires, markets (abs-S97#12) (4) 685
Seals, automotive, comparison of improved HNBR compounds with other types (abs-F96#7) (1) 148
Shear, neo-Hookean model, in the partial differential equation framework (abs-F96#63) (1) 163
SIBR (styrene–isoprene–butadiene elastomer), by anionic terpolymerization (rev) (3) 295
SiC fibers, coated with controlled morphology composites from sol–gel/microemulsion techniques (abs-F96#25) (1) 152
Silica dispersions, fumed, for reinforcement of latex articles (abs-F96#78) (1) 167
Silica xerogels, elastomer modified, morphological mechanism of toughening process (abs-S97#87) (4) 702
Silica, effect on viscoelastic properties of model tread compound (abs-S97#40) (4) 691
Silica, highly-dispersible, for truck tire treads (abs-S97#15) (4) 685
Silica, precipitated, effect on truck tire tread applications (abs-S97#17) (4) 686
Silica, use with TESPT to reduce rolling resistance of tires (abs-S97#38) (4) 690
Silica-filled rubber, with special polysiloxane processing aid in tire tread compounds (abs-S97#9) (4)
Silica–silane reaction system, for improving rolling resistance and wet traction of tires (4) 608
Silica–silane reaction system, in tire treads with improved rolling resistance and wet traction (abs-F96#76) (1) 167
Silicone elastomers, fatigue resistant formulations (abs-S97#84) (4) 701
Silicone elastomers, in rollers (abs-S97#74) (4) 700
Silicone elastomers, RTV, use of dialkyltin- and tin-dicarboxylates as cure catalysts (abs-F96#90) (1) 171
Silicone rubber, from TEOS and PDMS with 2% C. Aero-Ormosil, for porosities of 95% (abs-S97#85) (4) 702
Silicone rubber, one part hydrosilylation cure using microencapsulated platinum catalyst (abs-S97#64) (4) 697
Silicone rubbers, guidelines for selecting with a view to specific applications (abs-S97#62) (4) 697
Silicones, crosslinking with HP peroxides (abs-S97#92) (4) 704
Siloxane elastomers, thermal and mechanical properties (abs-S97#49) (4) 693
Simulation, of flow of rubber compound, modeled as a power law non-Newtonian fluid (2) 264
Size exclusion chromatography and infrared spectroscopy, for determining composition of blends (abs-F96#34) (1) 154
Small-angle neutron scattering, for study of carbon black and its composites with elastomers (abs-S97#55) (4) 695
Software program, for analyzing rubber compounds and reconstructing formulas (abs-F96#68) (1) 164
Sol and gel mobility, during ultrasonic devulcanization of SBR (abs-F96#61) (1) 162
Sol and gel, in *Hevea* NR (5) 707
Sol–gel approach, for silica reinforcement of NBR (abs-S97#72) (4) 699
Solid-state shear extrusion pulverization, for recovery of tire rubber (abs-F96#49) (1) 159
Soling formulations, surface modified with SBR for enhanced performance (abs-S97#41) (4) 691
Soling material, from SBS block copolymer thermoplastic elastomers (abs-S97#43) (4) 691
Squalene, in studies of bonding brass-plated steel cords (4) 541
Stability, of HSBR compared with that of SBR at high temperatures (5) 855
Statistics, on manuscript submissions for RUBBER CHEM. TECHNOL., 1997 (3) G37
Statistics, on manuscripts submitted for publication in RUBBER CHEM. TECHNOL., 1997 (1) G10
Steel cords, brass-plated, immersed in squalene, in study of sulfide formation in bonding agents (abs-F96#87) (1) 170
Stereochemical control, in synthesis of of asymmetrically substituted polysiloxanes (abs-S97#49) (4) 693
Stereoregular poly[methyl(3,3,3-trifluoropropyl)siloxane], strain-induced crystallization in (abs-S97#50) (4) 694
Stereoregular siloxanes, with strain-induced crystallization similar to that of NR (abs-S97#49) (4) 693
Strain amplification concepts, evaluation by Monte Carlo simulations (1) 25
Strain-crystallization, of guayule and *Hevea* rubbers (2) 202
Strain-induced crystallization, in siloxane networks (5) 769
Stress relaxation, effect on tearing energy measurement (abs-S97#70) (4) 699
Structure and stereochemistry, of polymers, characterizing by three dimensional NMR (abs-F96#44) (1) 158

Struktols, for improving processability of "green tire" treads with inversion carbon black (abs-S97#5) (4) 682
Sulfidation, of brass-plated steel cords, for bonding (4) 541
Sulfide growth, in bonding of brass-plated steel cords to rubber, effect of various agents (abs-F96#87) (1) 170
Sulfur chain, studied in tire tread compounds using TESPT and silica (abs-S97#38) (4) 690
Sulfur vulcanization, of simple model olefins, double bond isomerization (1) 106
SuperPave mix design, for rubberized asphalt pavements (abs-S97#4) (4) 682
Surface chemistry, of bromobutyl binary blends, studied with valence band XPS spectra (abs-F96#55) (1) 160
Surface energy, of commrcial and pyrolytic carbon blacks, measured by inverse gas chromatography (5) 759
Surfaces, polymer, scanning probe microscopy of (rev) (3) 430

Tear Analyzer, for accurately measuring inner liner crack growth (abs-S97#16) (4) 685
Tearing energy, computed from uncracked specimens (abs-S97#70) (4) 699
Tensile and modulus, of prevulcanized NR film, effect of leaching (abs-F96#11) (1) 149
Tensile strength, of revulcanized SBR, explanation of improvement (2) 194
Tensile, of unvulcanized BR, effect of fillers and rubber structure (abs-F96#73) (1) 166
TESPT (bis[3-triethoxysilylpropyl]tetrasulfane), with silica for improving rolling resistance (4) 608
TESPT (bis[3-triethoxysilylpropyl]tetrasulfane), with silica for use in tires (abs-F96#76) (1) 167
Tetrabenzylthiuram disulfide, as secondary plasticizer for improved truck tire wear resistance (abs-F96#17) (1) 150
Tetraisobutylthiuram monosulfide, both cure retarder and accelerator for benzothiazole sulfenamide (abs-F96#89) (1) 171
Thermal analysis techniques, for determining glass transition of elastomers (abs-F96#35) (1) 155
Thermoplastic elastomer vulcanizates, protected by special antioxidant from attack by copper (abs-F96#37) (1) 155
Thermoplastic elastomers, advances in polymer blends (abs-F96#28) (1) 153
Thermoplastic elastomers, market trends (abs-F96#13) (1) 149
Thermoplastic elastomers, styrenic, path to invention (abs-F96#12) (1) 149
Thermoplastic polyurethanes, with toughness and elasticity (abs-F96#15) (1) 150
Thermoplastic vulcanizates, colorable, UV-resistant, with low moisture pick- up (abs-F96#14) (1) 150
Thiuram-accelerated sulfur vulcanization, of rubber (rev) (3) 368
Three-dimensional morphology and anisotropy, of carbon black aggregates (abs-F96#72) (1) 165
Three-dimensional morphology, of carbon black aggregates (5) 727
TiBTM (N, N, N', N'-Tetraisobutylthiuram monosulfide; both retarder and accelerator with sulfenamide (4) 634
Time–temperature extremes, in polymer applications, delimiting through use of kinetic map (abs-F96#36) (1) 155
Tin- and dialkyltin dicarboxylates, as cure catalysts in RTV silicone elastomers, mechanics of (abs-F96#90) (1) 171
Tire applications, of SIBR terpolymers with unique morphologies (rev) (3) 295
Tire components, in-line precure process for (abs-S97#89) (4) 703
Tire components, using surface-treated clays (abs-S97#39) (4) 690
Tire compounds, laboratory testing for resistance to reversion (abs-F96#1) (1) 146
Tire design, trends for trucking industry (abs-F96#16) (1) 150
Tire failure, catastrophic, analyzed by optical stereo microscope (abs-F96#71) (1) 165
Tire failures, catastrophic, microscopic analysis of (2) 283
Tire scrap, crumb rubber from recycled (abs-S97#2) (4) 681
Tire scrap, recovery through solid-state shear extrusion pulverization (abs-F96#49) (1) 159
Tire scrap, recycling, evolving technologies for (abs-S97#3) (4) 682
Tire scrap, uniquely treated for use in athletic shoes (abs-S97#44) (4) 692
Tire sidewalls, improved elastomer blends for (abs-S97#6) (4) 683
Tire sidewalls, improving appearance with blends of EPDM–high diene rubber (abs-S97#7) (4) 683
Tire sidewalls, with BIMS, BR, and NR–BR blends, checking with DeMattia cut growth test (abs-S97#8) (4) 683

Tire tread compounds, effect of processing additives on carbon black dispersion and grip properties (1) 15
Tire tread compounds, using special polysiloxane derivative for improving silica-filled rubber (abs-S97#9) (4) 684
Tire tread compounds, with carbon–silica dual phase reinforcing filler (abs-S97#25) (4) 687
Tire tread, truck, with highly-dispersible silica (abs-S97#15) (4) 685
Tire tread, with lowered rolling resistance, by use of carbon–silica dual phase filler (abs-S97#24) (4) 687
Tire treads, truck, improved wear resistance from stable crosslink system and reactive plasticizer (abs-F96#17) (1) 150
Tire treads, with carbon–silica blends (abs-S97#37) (4) 690
Tire wear, caused by mild tread slip (4) 572
Tires, analysis of rubber blends used in (2) 222
Tires, reducing energy loss to improve rolling resistance in (abs-S97#14) (4) 685
Tires, role of amorphous carbon in reinforcing properties in (abs-S97#26) (4) 688
Tires, truck, effect of precipitated silicas in (abs-S97#17) (4) 686
Tires, wet skid resistance related to viscoalstic properties of polymer used (4) 584
Titanium esters, as catalysts for *in situ* repolymerization and copolymerization in recycling (abs-F96#57) (1) 161
TPE profiles, extruded using water as physical blowing agent (abs-F96#41) (1) 157
TPE, modified with an elastomeric acrylate terpolymer (abs-F96#40) (1) 157
TPE, new developments in the industry (abs-F96#37A) (1) 156
TPE, with superior low temperature performance, by use of miscible ester plasticizers (abs-F96#29) (1) 153
TPO, mechanically blended with EPM, effects of long chain branching on (abs-F96#22) (1) 151
Traction and durabhility, of compounds for outdoor athletic shoes (abs-S97#45) (4) 692
Traction, of athletic outsoles, designing for (abs-S97#44) (4) 692
Transesterification, of phosphoric ester and long chain fatty acid ester groups in NR (5) 707
Transversal ^{1}H NMR Relaxation, for studying adsorption of polymers on disordered filler surface (abs-S97#22) (4) 686
Transversal ^{1}H NMR relaxation, for characterizing polymer adsorption on disordered filler surface (5) 747
Tread compound, effect of silica on viscoelastic properties (abs-S97#40) (4) 691
Tread compound, low rolling resistance silica-filled, effect of polysulfidic silane sulfur content (abs-F96#75) (1) 166
Tread compounds, "green tire" type, based on "inversion"carbon black (abs-S97#5) (4) 682
Tread compounds, low rolling resistance, compounding for (abs-S97#13) (4) 685
Treads, with improved rolling resistance and wet traction, by use of silica–silane system (abs-F96#76) (1) 167
Triblock copolymers of butadiene, styrene, and methyl methacrylate, properties of (5) 820
Trizone thiols, for NBR cure systems which improve adhesion to nickel-plated alloy (2) 211
Truck tires, use of special carbon blacks in various parts for improved treadwear and fuel economy (abs-F96#18) (1) 151
Tungsten carbene complex, for metathetic polymer degradation in analyzing rubber blends (2) 222

Ultrasonic devulcanization, of SBR, effect of crosslink types (abs-F96#60) (1) 162
Ultrasonic devulcanization, of SBR, molecular mobility of gel and sol (abs-F96#61) (1) 162
Ultrasonically devulcanized SBR, nonaffine deformation of bimodal networks during revulcanization (2) 194
Ultrasonically devulcanized SBR, revulcanization of (1) 120
Ultrasonically devulcanized SBR, model to explain increased mechanical strength (abs-F96#62) (1) 163
Ultrasound devulcanization, of SBR, effect of crosslink type on (4) 641
Ultrasound, for devulcanization of SBR, molecular mobility of gel and sol (2) 183
Urethane adhesive, for retreads (abs-F96#19) (1) 151

Valanis–Landel form of stored energy function, $w'\lambda$ function for (abs-S97#67) (4) 698
Vanadium catalyst, single-site technology, for production of EP(D)M (abs-S97#80) (4) 701
Vibration isolation, effect of various carbon black grades on (abs-S97#29) (4) 688
Viscoelastic behavior, of NBR–EVA blends, studied with Kerner models (4) 650
Viscoelastic properties, of anionic terpolymers of butadiene. styrene and isoprene (rev) (3) 295

Viscoelastic properties, of filled rubber compounds, modeling (abs-F96#74) (1) 166
Vulcanization mechanism, studied with model olefins (1) 106
Vulcanization, thiuram- and dithiocarbamate-accelerated sulfur (rev) (3) 368

Wear rate, correlation with fatigue crack growth, and wear patterns that move (abs-F96#66A) (1) 164
Weigh batching, directly from bulk bags (abs-S97#99) (4) 706
Wet grip properties, of filled rubbers, correlation with rubber–glass transition zone (abs-S97#23) (4) 687
Wet skid resistance, in terms of tan δ and abrasion loss (4) 584

XNBR, influence of temperature on properties (abs-S97#59) (4) 696

Zirconium esters, as catalysts for *in situ* repolymerization and copolymerization in recycling (abs-F96#57) (1) 161